

Release - 01: Oct 15 2019 - Valid Jan 01 2020 thru Dec 31 2020

	OUR C	ONTACT INFORMATION				
Office Phone:	Accounting:	Shipping & Receiving:				
425.822.3851	ext 113	shipping@injectidry.com				
	jane@injectidry.com					
Fax Number:	Customer Service / Technical Support:	Repairs / Returns:	Office Hours:			
425.745.8480	ext 120	ext 117	7AM - 3:30PM Monday - Friday - Pacific			
	felicia@injectidry.com	repairs@injectidry.com	Dock Hours:			
			7AM - 3:30PM Monday - Friday			
Toll Free Number :	Remittance:	Warehouse:				
800.257.0797	PO Box 446 Marysville WA 98270-9998	3223 164th St SW Bld 3 Suite N Lynnwood	WA 98087			
Status Key:						
STATUS	Definition					
S	Stock items usually ship within 48 hou	rs				
so	Special Orders may require a lead time	Special Orders may require a lead time and non-returnable				
LS-DISC	Limited Stock on hand - when inventor	Limited Stock on hand - when inventory runs out we will no longer restock				
NEW!	New product					
Red	Revisions to pricing, packaging, part nu	umbers or descriptions will be in red font				
NEW PART #	Please note that any part # that has be	een changed will have the new part # in the re	ed box.			

Shipping:

- All prices are F.O.B. Injectidry Systems, Inc. Lynnwood WA. All PO's are shipped via Injectidry's carriers.
- For any questions on tracking information, please contact our customer service department for assistance. Please have the PO # and the date the order was placed.

Freight Damage:	
Go to injectidry.com for current guidelines & forms	Contact shipping@dry-it.com or 425.822.3851 ext. 109
Repairs:	
Co to inication, case for consent avidable as 0 forms	 Send completed forms to repairs@injectidry.com or fax to 425.745.8480
Go to injectidry.com for current guidelines & forms	• Send completed forms to repairs@injectiory.com or fax to 425.745.6460
Go to injectiory.com for current guidelines & forms Returns:	• Seria completed forms to repairs@injectiory.com or lax to 425.745.8480

Patent #US5893216 #6647639, #688671, #9989307

2020 MSRP 1 of 34

SECTION	PAGES
HP SYSTEMS - BASE UNITS WITH MAIN HOSES ONLY	3
HP SYSTEMS - WALL & CEILING PACKAGES	4 - 6
HP SYSTEMS - FLOOR DRYING PACKAGES	7 - 9
HP SYSTEMS - ACCESSORIES	10
HP SYSTEMS - VAC-IT PANELS	11 - 13
IR PANELS	14
ADAPTERS	15 - 17
Adaptidry Products	15
• SA-5 Products	16
• Direct-It Products	16 - 17
GANN - COMPACT METERS	18
GANN - ADVANCED METERS	19
GANN - ADVANCED METERS ACCESSORIES	19 - 21
ELECTRICAL	22
DUCTING	23
PROTECT-IT	24
CARRY BAGS	25
HP SYSTEMS - MAIN UNIT QUICK CONNECT REPLACEMENT FITTINGS	26
HP SYSTEMS - MAIN HOSES	26 - 27
HP SYSTEMS - MAIN HOSES REPAIR / REPLACE	27 - 28
HP SYSTEMS - POWER CORD	29
HP SYSTEMS - HOSES	30
HP SYSTEMS - REPLACEMENT PARTS	30 - 32
INTERCEPTOR (INFO1) - REPLACEMENT PARTS	32
INTERCEPTOR (INFO1) & WATER SEPARATOR (WS) - REPLACEMENT HOSES	32
IR PANEL REPLACEMENT PARTS	32
ADAPTERS ONLY	33
ADAPTIDRY & SA-5 PRODUCTS - REPLACEMENT PARTS	33 - 34
DIRECT-IT PRODUCTS - HOSES	34
DIRECT-IT PRODUCTS - REPLACEMENT PARTS	34
WALL VENT - REPLACEMENT PARTS	34

This area left blank intentionally.

2020 MSRP 2 of 34

HP SYSTEMS - BASE UNITS WITH MAIN HOSES ONLY

PART#

HP60 System - 15A / 115v - Base System Only Kit (comes with Main Air IN & Out Hoses)

DESCRIPTION

S S S 2,199

QTY EA

HP-60-BO



Box 1 Includes: 01 HP60 System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-60-WC Main Air IN Hose w/ Main W

01 AOMH-60 Main Air OUT Hose

Replacement Box #	B#	L	w	Н	Lbs.	HS Tariff Code
HP-60-GEN3-STD-BX1	1	25	19	28	71	8414.10.0000
HP-60-BO-STD-BX2	2	23	23	11	18	Total Lbs.
		•	•	•	•	89

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Total Pkgs for Item

PART
HP-PLUS-BO

DESCRIPTION

HP-PLUS w/ VFD Technology with Main Air IN & OUT hoses / 115V - 15A circuit required / Multiple Package Item: 02

 STATUS
 MSRP
 QTY

 S
 \$ 2,599
 EA





Box 1 Includes: 01 HP-PLUS System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-PU-WC Main Air IN Hose with Main W

01 AOMH-PU Main Air OUT Hose

Replacement Box #	В#	L	w	н	Lbs.	HS Tariff Code
HP-PLUS-GEN3-STD-BX1	1	25	19	28	68	8414.10.0000
PLUS-PLUS240V-BO-STD-BX2-WIP	2	23	23	11	12	Total Lbs.
		•	•	•	•	80

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Total Pkgs for Item

PART # HP-PLUS-240V-BO

DESCRIPTION

HP-PLUS-240V w/ VFD Technology with Main Air IN & OUT hoses / 230V - 20A circuit required / Multiple Package Item: 02

 STATUS
 MSRP
 QTY

 S
 \$ 2,899
 EA





Box 1 Includes: 01 HP-PLUS-240V System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-PU-WC Main Air IN Hose with Main W

01 $\underline{\textit{AOMH-PU}}$ Main Air OUT Hose

	Replacement Box #	B#	L	w	Н	Lbs.	HS Tariff Code
	HP-PLUS240-GEN3-STD-BX1-WIP	1	25	19	28	79	8414.10.0000
	PLUS-PLUS240V-BO-STD-BX2-WIP	2	23	23	11	12	Total Lbs.
ì			•	•	•		91

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Total Pkgs for Item

Accessories	Pages
Replacement Parts	Pages

2020 MSRP 3 of 34

HP SYSTEMS - WALL & CEILING PACKAGES

PART# DESCRIPTION

HP-PLUS-01

HP-PLUS system configured in Wall & Ceiling drying package / 115V - 15A circuit required with drying capacity of 100 LFT as

STATUS MSRP QTY S 3,999 EΑ

packaged / Multiple Package Item: 03.





Box 1 Includes: 01 HP-PLUS System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-PU-WC Main Air IN Hose with Main W

01 AOMH-PU Main Air OUT Hose

01 Silencer

12 AH3 Activehoses ®

24 HC3 1.5" Hose cuffs

14 HC-125 1.25" Hose Connectors

01 CB1 General Purpose Carry Bag

01 CB2 Rolling Duffel Bag

Box 3 Includes: 01 PL03 1.5" x 25' Uncut Blank Hose

02 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing

02 IM-125 Inline Manifolds

8 HC3 1.5" Hose cuffs

150 WI-BLK 3/16" OD Black Wall Injectors

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

50 TUB-CON 3/8" x 3/8" OD Tubing Connectors

04 EC-125 1.25" Push to connect End Cap Plugs

02 SY-125 Small Y's

Replacement Box #	B#	L	w	н	Lbs.	HS Tariff Code
HP-PLUS-GEN3-STD-BX1	1	25	19	28	68	8414.10.0000
PLUS-PLUS240-01-STD-BX2	2	39	26	17	50	Total Lbs.
01-STD-BX3	3	23	23	23	35	153

Total Pkgs for Item

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Accessories	Pages
Replacement Parts	Pages

This area est, blank intentionally.

PART# HP-PLUS-240V-01

DESCRIPTION HP-PLUS-240V system configured in Wall & Ceiling drying

STATUS S

MSRP

QTY EΑ

Total Pkgs for Item

\$ 4,299





package. 230V - 12A - 20A circuit required

Box 1 Includes:

Box 2 Includes:

01 HP-PLUS-240V System

*Cords are hardwired to the unit as of Aug 2018

01 AIMH-PU-WC Main Air IN Hose with Main W

01 AOMH-PU Main Air OUT Hose

01 Silencer

12 AH3 Activehoses ®

24 HC3 1.5" Hose cuffs

14 *HC-125* 1.25" Hose Connectors

01 CB1 General Purpose Carry Bag

01 CB2 Rolling Duffel Bag

Box 3 Includes:

01 PLO3 1.5" x 25' Uncut Blank Hose

02 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing

02 IM-125 Inline Manifolds

8 HC3 1.5" Hose cuffs

150 WI-BLK 3/16" OD Black Wall Injectors

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

50 TUB-CON 3/8" x 3/8" OD Tubing Connectors

04 EC-125 1.25" Push to connect End Cap Plugs

02 SY-125 Small Y's

Replacement Box #	В#	L	w	Н	Lbs.	HS Tariff Code
HP-PLUS240-GEN3-STD-BX1	1	25	19	28	79	8414.10.0000
PLUS-PLUS240-01-STD-BX2	2	39	26	17	50	Total Lbs.
01-STD-BX3	3	23	23	23	35	164

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Accessories	Pages
Replacement Parts	Pages

This steal et blank intentionally.

PART # DESCRIPTION STATUS MSRP QTY

INJ01 HP60 system configured in Wall & Ceiling drying package.

NEW PART # 115V - 15A circuit required

HP-60-01





Box 1 Includes: 01 HP-60 System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-60-WC Main Air IN Hose w/ Main W

01 AOMH-60 Main Air OUT Hose

01 Silencer

12 AH3 Activehoses ®

24 HC3 1.5" Hose cuffs

14 HC-125 1.25" Hose Connectors

01 CB1 General Purpose Carry Bag

01 CB2 Rolling Duffel Bag

Box 3 Includes: 01 PLO3 1.5" x 25' Uncut Blank Hose

02 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing

02 <u>IM-125</u> Inline Manifolds

8 HC3 1.5" Hose cuffs

150 WI-BLK 3/16" OD Black Wall Injectors

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

50 TUB-CON 3/8" x 3/8" OD Tubing Connectors

04 EC-125 1.25" Push to connect End Cap Plugs

02 SY-125 Small Y's

Replacement Box #	В#	L	w	н	Lbs.	HS Tariff Code
HP-60-GEN3-STD-BX1	1	25	19	28	71	8414.10.0000
HP-60-01-STD-BX2	2	39	26	17	54	Total Lbs.
01-STD-BX3	3	23	23	23	35	160
•			•	•	•	Total Pkgs for Item

3

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

	_
Accessories	Pages
Replacement Parts	Pages

This area est blank intentionally.

2020 MSRP 6 of 34

HP SYSTEMS - FLOOR DRYING PACKAGES PART # DESCRIPTION STATUS MSRP QTY HP60FDP HP60 system configured in Floor drying package. 115V - 15A S \$ 3,999 EA

NEW PART #

circuit required

HP-60-FDP





Box 1 Includes: 01 HP-60 System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-60-FD Main Air IN Hose w/ 2" Cuff

01 AOMH-60 Main Air OUT Hose

01 Silencer

01 WS Water Separator

01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing

Box 3 Includes: 01 Slim Panels - Large Port Clear

05 Slim Panels - Small Ports

03 Multi Port 06 XSP Panels

01 8 Point Panel

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

04 VAC-T Vac-T

01 CB3 Panel and Wall Vent Carry Bag

10 EC-125 1.25" Push to connect End Cap Plugs

Box 4 Includes: 02 PLO3 1.5" x 50' Uncut Blank Hose

01 <u>CB2</u> Rolling Duffel Bag 30 <u>HC3</u> 1.5" Hose cuffs 09 <u>IM-125</u> Inline Manifolds

02 SY-125 Small Y's

04 *HC-125* 1.25" Hose Connectors

01 <u>HB300</u> Trunk mount Extraction Connector 01 <u>MW</u> Main W (to be used with HB300)

Replacement Box #	B#	L	w	Н	Lbs.	HS Tariff Code
HP-60-GEN3-STD-BX1	1	25	19	28	71	8414.10.0000
HP-60-FDP-STD-BX2	2	23	23	23	32	Total Lbs.
FDP-STD-BX-3-WIP	3	47	31	7	40	198
FDP-STD-BX-4-WIP	4	38	25	16	55	Total Pkgs for Item
						4

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Accessories	Pages
Replacement Parts	Pages

2020 MSRP 7 of 34

PART #

HP-PLUS-FDP

HP-PLUS system configured in Floor drying package. 115V -

DESCRIPTION

STATUS MSRP
S \$ 4,499

QTY EA

15A circuit required





Box 1 Includes: 01 HP-PLUS System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-PU-FD Main Air IN Hose with 2" cuff

01 AOMH-PU Main Air OUT Hose

01 Silencer

01 WS Water Separator

01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing

Box 3 Includes: 01 Slim Panels - Large Port Clear

05 Slim Panels - Small Ports

03 Multi Port 06 XSP Panels

01 8 Point Panel

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

04 VAC-T Vac-T

01 CB3 Panel and Wall Vent Carry Bag

10 EC-125 1.25" Push to connect End Cap Plugs

Box 4 Includes: 02 PLO3 1.5" x 50' Uncut Blank Hose

01 <u>CB2</u> Rolling Duffel Bag 30 <u>HC3</u> 1.5" Hose cuffs 09 <u>IM-125</u> Inline Manifolds

02 SY-125 Small Y's

04 *HC-125* 1.25" Hose Connectors

01 <u>HB300</u> Trunk mount Extraction Connector

01 MW Main W (to be used with HB300)

Replacement Box #	В#	L	w	н	Lbs.	HS Tariff Code
HP-PLUS-GEN3-STD-BX1	1	25	19	28	68	8414.10.0000
PLUS-PLUS240-FDP-STD-BX2	2	23	23	23	28	Total Lbs.
FDP-STD-BX-3-WIP	3	47	31	7	40	191
FDP-STD-BX-4-WIP	4	38	25	16	55	Total Pkgs for Item
						4

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Accessories	Pages
Replacement Parts	Pages

2020 MSRP 8 of 34

DESCRIPTION PART# **STATUS** MSRP QTY HP-PLUS240V-FDP HP-PLUS-240V system configured in Floor drying package. S \$ 4,799 EΑ 230V - 12A - 20A circuit required

NEW PART #

HP-PLUS-240V-FDP





Box 1 Includes: 01 HP-PLUS-240V System

*Cords are hardwired to the unit as of Aug 2018

Box 2 Includes: 01 AIMH-PU-FD Main Air IN Hose with 2" cuff

01 AOMH-PU Main Air OUT Hose

01 Silencer

01 WS Water Separator

01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing

Box 3 Includes: 01 Slim Panels - Large Port Clear

05 Slim Panels - Small Ports

03 Multi Port 06 XSP Panels

01 8 Point Panel

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

04 VAC-T Vac-T

01 CB3 Panel and Wall Vent Carry Bag

10 EC-125 1.25" Push to connect End Cap Plugs

Box 4 Includes: 02 PL03 1.5" x 50' Uncut Blank Hose

> 01 CB2 Rolling Duffel Bag 30 HC3 1.5" Hose cuffs 09 IM-125 Inline Manifolds

02 SY-125 Small Y's

04 *HC-125* 1.25" Hose Connectors

01 HB300 Trunk mount Extraction Connector

01 MW Main W (to be used with HB300)

Replacement Box #	В#	L	w	н	Lbs.	HS Tariff Code
HP-PLUS240-GEN3-STD-BX1-WIP	1	25	19	28	79	8414.10.0000
PLUS-PLUS240-FDP-STD-BX2	2	23	23	23	28	Total Lbs.
FDP-STD-BX-3-WIP	3	47	31	7	40	202
FDP-STD-BX-4-WIP	4	38	25	16	55	Total Pkgs for Item
		•	•	•	•	4

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Accessories	Pages
Replacement Parts	Pages

HP SYSTEMS - ACCESSORIES PART # DESCRIPTION STATUS MSRP QTY AH-CWK-2A Wall & Ceiling Active Hose Upgrade Kit for customers who own S \$ 999 EA



Includes: 12 AH3 Activehoses ®

the FDP and want to dry walls, ceilings and cabinets.

01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing

02 SY-125 Small Y's

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

50 TUB-CON 3/8" x 3/8" OD Tubing Connectors

150 WI-BLK 3/16" OD Black Wall Injectors

10 EC-125 1.25" Push to connect End Cap Plugs

01 <u>CB1</u> General Purpose Carry Bag

24 HC3 1.5" Hose cuffs

12 <u>HC-125</u> 1.25" Hose Connectors

В#	L	w	н	Total Lbs.	HS Tariff Code
1	23	23	23	54	3917.39.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY	
INF01	Interceptor In-Line HEPA Filter System. Protect your HP system	S	\$ 459	EA	
	& job from spreading contaminants.				



Includes: 01 Interceptor HEPA Housing

01 <u>RP-INT-FR1</u> HEPA Filter 01 <u>RP-INT-PF10</u> Pre-Filter

01 <u>RP-INT-AIH</u> Air IN hose

01 RP-INT-AOH Air OUT hose

ges

SILE		
	Carried Marie	
		TO WE
16		

PART #

DESCRIPTION	STATUS	MSRP	QTY	
The Silencer. Reduces sound decibels from your HP system.	S	\$ 109	EA	

Includes: 01 Silencer

В#	L	w	н	Total Lbs.	HS Tariff Code
1	15	7	7	2	3920.99.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY	
WS	Water Separator. Use with HP system on negative (suction) to	S	\$ 179	EA	
	protect the unit from ingesting liquid through the unit	B		āā.	



NOTE: You will still need to use a truck mount or portable to remove the bulk of the liquid prior to using the WS.

Includes: 01 WS Housing

01 RP-WS-AOH Air IN hose

2020 MSRP 10 of 34

HP SYSTEMS - VAC-IT PANELS

PART #

8-P-10

Vac-It Panel - The original 8 Point Panel 46" x 30" ABS plastic -

DESCRIPTION

STATUS MSRP QTY
S \$ 585 EA

(8) 3/8" extraction points per panel - sold in a 10 pack



В#	L	w	н	Total Lbs.	HS Tariff Code
1	47	31	7	52	3921.11.0000

PART#	DESCRIPTION	STATUS	MSRP	QTY	
MP-2	Vac-It Panel - Multi-Port Panel 46" x 30" ABS plastic with gasket	S	\$ 199	EA	

- (1) Large (Vac-T) extraction port and (5) 3/8" extraction points per panel - 2 pack



Includes: 02 Multi Port

02 *VAC-T* Vac-T

02 $\underline{\textit{EC-125}}$ 1.25" Push to connect End Cap Plugs

10 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

В#	L	w	н	Total Lbs.	HS Tariff Code
1	47	31	3	13	3921.11.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY	
MP-6	Vac-It Panel - Multi-Port Panel 46" x 30" ABS plastic with gasket	S	\$ 525	EA	

- (1) Large (Vac-T) extraction port and (5) 3/8" extraction points per panel - 6 pack



Includes: 06 Multi Port

06 *VAC-T* Vac-T

06 EC-125 1.25" Push to connect End Cap Plugs

30 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

В#	L	w	н	Total Lbs.	HS Tariff Code
1	47	31	7	36	3921.11.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY	
PUK	Vac-It Panel - Multi-Port U Shaped Panel Kit All panels are ABS	LS-DISC	\$ 130	EA	
	plastic Casketed on the main panel ONLY (1) Large (Vac T)				

plastic - Gasketed on the main panel ONLY - (1) Large (Vac-T) extraction port and (5) 3/8" extraction points



Includes: 01 MP - U Panel -

02 Single 3/8" Port Panel - 22.5" x 6.75"

01 Single 3/8" Port Panel - 14" x 6"

05 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

01 EC-125 1.25" Push to connect End Cap Plugs

01 VAC-T Vac-T

В#	L	w	н	Total Lbs.	HS Tariff Code
1	47	31	3	7	3921.11.0000

NOTE:

Limited Stock on hand - when inventory runs out we will no longer restock

- Call prior to placing PO.

2020 MSRP 11 of 34

PART # DESCRIPTION STATUS MSRP QTY

SP-SP-9 Vac-It Panel - Slim Panel Small Ports 17" x 46" ABS plastic with gasket - (5) 3/8"extraction points - 9 pack



Includes:

09 Slim Panels - Small Ports

20 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

01 CB3 Panel Carry Bag

В#	L	w	н	Total Lbs.	HS Tariff Code
1	49	19	8	25	3921.11.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY	
SP-LPC-1	Vac-It Panel - Slim Panel Large Port Clear 17" x 46"	S	\$ 135	EA	
	Polycarbonate plastic with gasket - single large port - 1 pack	\$	ā.		



Includes:

01 Slim Panels - Large Port Clear

01 VAC-T Vac-T

В#	L	w	н	Total Lbs.	HS Tariff Code
1	49	19	8	7	3921.11.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-LPC-5	Vac-It Panel - Slim Panel Large Port Clear 17" x 46"	S	\$ 459	EA
	Polycarbonate plastic with gasket - single large port - 5 pack	<u> </u>	Ē	



Includes:

05 Slim Panels - Large Port Clear

05 *VAC-T* Vac-T

В#	L	w	н	Total Lbs.	HS Tariff Code
1	49	19	8	20	3921.11.0000

PART	#	DESCRIPTION	STATUS	MSRP	QTY	
VP		Variety Panel (VP) Package	S	\$ 850	EA	
			3			



Includes:

01 Slim Panels - Large Port Clear

05 Slim Panels - Small Ports

03 Multi Port

06 XSP Panels

01 8 Point Panel

50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

04 VAC-T Vac-T

01 CB3 Panel and Wall Vent Carry Bag

10 EC-125 1.25" Push to connect End Cap Plugs

B#	L	W	Н	Total Lbs.	HS Tariff Code
1	47	31	7	40	3921.11.0000

2020 MSRP 12 of 34

PART#	DESCRIPTION	STATUS	Г	MSRP	QTY	
XSP-10	Vac-It Panel - Extra Slim Small Point 7" x 30" ABS plastic - (1)	S	\$	175	EA	
	3/8"extraction point					



Includes: 10 XSP Panels

В#	L	w	н	Total Lbs.	HS Tariff Code
1	33	9	9	7	3921.11.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY
DRMK-1	Replacement Dri-Eaz Mat Kit for DriForce. Now you can use	S	\$ 350	EA
	Injectidry Panels with the Dri-Force.	\$		

Includes: 03 Slim Panels Large Port, Black ABS

01 Slim Panels Large Port, Clear Poly

02 VAC-T's 06 1.5" Cuffs

This deal eft blank intentionally.

2020 MSRP 13 of 34

IR PANELS

IRP-400

PART#

 STATUS
 MSRP
 QTY

 S
 \$ 999
 EA

X 1", 120 Volts, 400 Watts, IR Panel set of 2 with 8 feet



Box 1 Includes: 02 IR Panel

08 Feet

This area left blank intentionally.



B#	L	W	Н	Total Lbs.	HS Tariff Code
1	48	20	4	30	8516.29.0000

Replacement Parts

Pages

2020 MSRP 14 of 34

ADAPTERS

PART #

ADP-5

DESCRIPTION STATUS MSRP QTY

Adaptidry - 5 Port Dry up to 18 linear feet (as packaged) works S \$ 699 EA

with 12", 14", 16" & 18" duct ringed equipment such as air scrubbers and high pressure axial fans. A separate ring comes with the ADP-5 to adapt to new Phoenix Guardian.



Replacement Parts Pages

Includes: 01 ADP-5 Housing

01 ADPRING Ring mates to new Phoenix Guardian

01 WV1 1' Wall Vent

05 WV2 2' Wall Vent

16 DC-TK4 4" Turnkey Clamps

22 2" Drywall Screws

04 M4 4" x 25' sections of Mylar Ducting

02 Y4 4" Tee

01 CB1 General Purpose Carry Bag

В#	L	w	н	Total Lbs.	HS Tariff Code
1	26	22	21	28	3917.39.0000

PART # DESCRIPTION STATUS MSRP QTY

ADP-9 Adaptidry - 9 Port Dry up to 27 linear feet (as packaged) works S \$ 1,099 EA

with 12", 14", 16" & 18" duct ringed equipment such as air scrubbers and high pressure axial fans. A separate ring comes with the ADP-9 to adapt to new Phoenix Guardian.



Box 1 Includes: 01 ADP-9 Housing

01 <u>ADPRING</u> Ring mates to new Phoenix Guardian

21 DC-TK4 4" Turnkey Clamps

22 2" Drywall Screws

Box 2 Includes: 01 WV1 1' Wall Vent

09 WV2 2' Wall Vent

01 WV4 4' Wall Vent

06 M4 4" x 25' sections of Mylar Ducting

02 <u>Y4</u> 4" Tee

01 CB3 Panel and Wall Vent Carry Bag

Replacement Box #	В#	L	w	н	Lbs.	HS Tariff Code
ADP-9-BX1	1	23	23	17	10	3917.39.0000
ADP-9-BX2	2	12	12	48	35	Total Lbs.
						45

Total Pkgs for Item
2

Replacement Parts Pages

This area left blank intentionally.

2020 MSRP 15 of 34

PART# DESCRIPTION **STATUS** MSRP QTY SPECIALTY ADAPTER 5 PORT Dry up to 16 linear feet (as SA-5-2 S \$ 799 EΑ

> packaged) works with centrifugal air mover to dry walls, (5) 4" ports direct air to finished wood flooring and gymnasium

flooring systems.

Box 1 Includes: 01 SA-5 Housing Box 2 Includes: 05 WV2 2' Wall Vent

10 DC-TK4 4" Turnkey Clamps

10 2" Drywall Screws

05 M4 4" x 25' sections of Mylar Ducting

01 CB1 General Purpose Carry Bag

Replacement Box #	В#	L	w	н	Lbs.	HS Tariff Code
SA-5-2-STD-BX1	1	29	13	13	11	3917.40.0000
SA-5-2-STD-BX2	2	29	13	13	17	Total Lbs.
						28

Total Pkgs for Item

Replacement Parts

Pages

flooring systems.

PART# DESCRIPTION **STATUS MSRP** QTY SPECIALTY ADAPTER 5 PORT Dry up to 31 linear feet (as \$ S 899 EΑ SA-5-4

> packaged) works with centrifugal air mover to dry walls, (5) 4" ports direct air to finished wood flooring and gymnasium

> > **Box 1 Includes:**

01 SA-5 Housing

Box 2 Includes:

05 <u>WV4</u> 4' Wall Vent

10 DC-TK4 4" Turnkey Clamps

10 2" Drywall Screws

05 M4 4" x 25' sections of Mylar Ducting

01 CB3 Panel and Wall Vent Carry Bag

Replacement Box #	В#	L	w	н	Lbs.	HS Tariff Code
SA-5-4-STD-BX1	1	29	13	13	11	3917.40.0000
SA-5-4-STD-BX2	2	48	12	12	23	Total Lbs.
						34

Total Pkgs for Item

Replacement Parts

Pages

2

PART# **DESCRIPTION STATUS** QTY **MSRP** UAA1 Universal Air mover Adapter - Direct-It IN Dry up to 22 linear EΑ S

feet (as packaged) works with most standard Air movers, (17) 1.25" ports direct air to 5/8" Wall Penetrators to help dry wall, ceiling cavities as well as underneath cabinetry.



Includes: 01 Direct-It IN Housing

17 WP2 5/8" Wall Penetrators

17 HC1 1.25" Hose cuff

10 EC-125 1.25" Push to connect End Cap Plugs

03 PL05 1.25" x 50' Direct-It Hose

01 CB1 General Purpose Carry Bag

В#	L	w	н	Total Lbs.	HS Tariff Code
1	26	22	21	40	3917.40.0000

Replacement Parts

Pages

PART# DESCRIPTION **STATUS** QTY **MSRP** Universal Air mover Adapter - Direct-It - Dry up to 22 linear UAA2 S EΑ 519

feet (as packaged) works with high pressure axial fans and air scrubbers, (17) 1.25" ports direct air to 5/8" Wall Penetrators to help dry wall, ceiling cavities as well as underneath cabinetry.



1	Oction .
	111
-	

Includes: 01 Direct-It Housing

17 WP2 5/8" Wall Penetrators

17 HC1 1.25" Hose cuff

10 EC-125 1.25" Push to connect End Cap Plugs

03 <u>PL05</u> 1.25" x 50' Direct-It Hose

01 CB1 General Purpose Carry Bag

В#	L	w	н	Total Lbs.	HS Tariff Code
1	26	22	21	40	3917.40.0000

Replacement Parts

This sea lety old ny interprior all N

2020 MSRP 17 of

GANN - COMPACT METERS PART # DESCRIPTION STATUS MSRP QTY G2020 Hydromette - Compact A Use to measure finished hardwood flooring materials. Digital readout, separate settings for

different species of wood, no separate electrodes or cables required. Measures materials up to 1.57" thick. Readings are in % of moisture content.

PART #	DESCRIPTION	STATUS		MSRP		QTY	
G2030	Hydromette - Compact B Use to measure wall, ceiling and floor	S	\$	215		EA	
	materials such as drywall, lumber & plaster, Digital readout, no	3	шПининин	······································	`mmmmmmmmm	Ā	

separate electrodes or cables required. Measures materials up to 1.57" thick. Readings are on scale of 0-100.

B ₩ - \$

PART #	DESCRIPTION	STATUS	MSRP	QTY	
G12032	Hydromette - Blue Compact B2 Use to measure wall, ceiling &	S	\$ 399	EA	

floor materials. 3-line LCD digital readout, no separate electrodes or cables required. Measures materials up to 1.57" thick. "Max" & "hold" functions, audible alarm function, & temperature features. Readings are on scale of 0-200.

This steal et blank intentionally.

2020 MSRP 18 of 34

GANN - ADVANCED METERS

PART#

G1550

DESCRIPTION

STATUS MSRP QTY S \$ 559 EΑ

QTY

EΑ

QTY

EΑ



UNI - 2 Base Only The UNI 2 is an electronic & universal triple measuring instrument. A large range of GANN (active) electrodes can be connected with this device. Structural moisture, air humidity & temperature can be measured. See the UNI2 accessories section for all options. Readings are on scale of 0-200 and or in % of moisture content depending on accessory used.

Replacement Parts Pages

PART#

G1670

RTU-600 Base Only Electronic four functions in one meter for measuring wood moisture, structural moisture, air humidity & temperature with digital LCD readout, adjustable temp compensation for wood temp between 14- 176°F. Precise correction ability for all wood species. Connects to B 50, B 60, MB 35, RH-T37 & all accessories. B 50 & 60 read accurately down 4.75". Readings are on scale of 0-200 and or in % of

moisture content depending on accessory used.

DESCRIPTION



Replacement Parts


Pages

PART#

G1400

G3155

DESCRIPTION M 4050 Base Only Measures moisture content of building materials like the RTU 600, but also stores data, interfaces with a PC, memorized calibration curves for 250 species of wood. Approved by the FMPA testing institute for use in licensed bonded-wood industry. Same automatic temperature compensation. Connects to all accessories. Readings are on scale of 0-200 and or in % of moisture content depending on



Pages

accessory used.

GANN - ADVANCED METERS ACCESSORIES

PART#

Active Electrode RF-T 28 High speed testing of air temperature and humidity, complete with connecting cable for the RTU 600 & M 4050. Measuring range of $\,$ 7-98% RH & 14 - 176°F.

DESCRIPTION

STATUS MSRP QTY \$ S 344 EΑ

PART# DESCRIPTION G3300

thick. Body is impact resistant plastic. Included are 10 spare pins 0.6" and 0.9".



STATUS MSRP QTY Drive-in Electrode M 20 for measurement of timber up to 2" S \$ 86 EΑ

STATUS

S

STATUS

SO

MSRP

MSRP

1,799

\$

1,085

\$

PART#	DESCRIPTION	STATUS		M	ISRP		QTY	
G3500	Ram-in Electrode M 18 for measurement in timber to the depth	S		\$	2	<mark>:35</mark>	EA	
	of about 7.1". Included are 10 spare pins 1.57" & 2.4". High quality stainless steel & built to last.							
PART #	DESCRIPTION	STATUS		M	ISRP		QTY	
G3700	Pair of stick-in electrodes M 6 Includes 10 spare pins ea. of 40	S		\$		<mark>79</mark>	EA	
	mm and 60 mm (to be used with contact paste only).		<u></u>					
PART #	DESCRIPTION	STATUS			ISRP		QTY	
G3703	Pair of flat electrodes M 6-Bi 300mm (12") for measuring moisture in books, documents, joints between floors and walls.	S		\$	1	<mark>.42</mark>	EA	
	Suitable for use with stick-in electrodes M 6 only.	3			101111111111111111111111111111111111111			
PART #	DESCRIPTION	STATUS			ISRP		QTY	
G3707	Non-insulated extra thin electrode pins for testing the moisture content in building and or intersecting tile joints. Use	S		\$	1	<mark>.29</mark>	EA	
PART#	with M 6 and M 20. Pair of 250mm (9.84"). DESCRIPTION	STATUS		V			QTY	
G3740	Pair of brush electrodes M 25 for measuring moisture in	S		\$	1	. <mark>14</mark>	EA	
B===	concrete without the need of contact paste. This is a great and quick answer to how much moisture is in concrete. For use with MK-8 cables.							
PART #	DESCRIPTION	STATUS		M	ISRP		QTY	
G3750	B 50 Active Electrode Active electrode designed for non-destructive detection of moisture concentration in building materials & moisture distribution in walls, ceilings & floors. Uses a high frequency field with a penetrating depth up to 4.75" accurately. For use with the RTU-600 & M4050.	S S		\$	3	3 77	EA	
PART #	DESCRIPTION	STATUS		N	ISRP		QTY	
G3760	B 60 Active Electrode Active electrode designed for non-	S		; \$		95	EA	
	destructive detection of moisture concentration in building materials and moisture distribution in walls, ceilings and floors. Uses a high frequency field with a penetrating depth up to 4.75" accurately. For use with the RTU-600 & M 4050. Selector for setting an audible value between 20 & 140 with acoustic signal generator.							
PART #	DESCRIPTION	STATUS		M	ISRP		QTY	
G3770	MB 35 Active electrode with integrated measuring circuit, designed for surface measurement on concrete. Measuring range: 2-8% of dry weight. Direct display. No conversion table required.	S.		\$	4	99	EA	

2020 MSRP 20 of 34

	DART "	DECERDITION						
04343	PART #	DESCRIPTION Set of cap nuts M20-DS 16 for use with thinner pins (1.6 mm)	STATUS		MSRP		QTY	
G4310		with drive in electrode M 20 consisting of 2 cap nuts & 50 pins.	S	\$		44	EA	
-	27 - 200 VI	with drive in electrode in 20 consisting of 2 cap hats a 30 pins.						
Tipe .	W.							
	PART#	DESCRIPTION	STATUS		MSRP		QTY	
G4500		Package of 10 Teflon insulated pins 60mm (2.4") for use with the ram in electrode M18 accessorized with the RTU 600	S	\$		69	EA	
Electric Check Co. Mr. Mr. Mr. Mr. Mr. Mr. Mr. Mr. Mr. Mr	ordenspitcen olde seeflee late Talles late (8)	& M 4050.						
-								
			- ⊒numumumumum	<u></u>		10000000000000000000000000000000000000		
	PART#	DESCRIPTION	STATUS		MSRP		QTY	
G4550		Package of 10 Teflon insulated pins 45mm (1.77") long for use	S	\$		<mark>67</mark>	EA	
E health in	andemepoleon hode seedles	with ram in electrode M 18.						
-	137 AS men							
-	-							
	PART#	DESCRIPTION	STATUS		MSRP		QTY	
G4610		Package of 100 non-insulated pins 16mm (0.6") for use with	S	\$		29	EA	
16	6 mm	electrodes M 20.	3				нинининининининийнинининининининининини	
-								
-								
	PART #	DESCRIPTION	STATUS		MSRP		QTY	
G4620		Package of 100 non-insulated pins 23mm (0.9") for use with	S	\$		29	EA	
-		electrodes M 20.	Ī					
	23 mm							
9-								
	PART#	DESCRIPTION	STATUS		MSRP		QTY	
G4640		Package of 100 non-insulated pins 40mm (1.6") for use with	S	\$		29	EA	
-		electrodes M 6 & M 18.	Į					
-	_							
)	40 mm							
5	PART#	DESCRIPTION	STATUS		MSRP		QTY	
G4660	TAIL #	Package of 100 non-insulated pins 60mm (2.4") for use with	S	\$		29	EA	
G4000		electrodes M 6, & M 18.		7			LA	
-								
<u>}</u>								
2	60mm							
CEOC4	PART #	DESCRIPTION Corpuing Case V for M 4050 8, BTU 600 Carpuing case for the	STATUS		MSRP		QTY	
G5061		Carrying Case V for M-4050 & RTU-600 Carrying case for the Uni 2, RTU-600 and M 4050. Foam insert allows for secure	S	\$		81	EA	
		storage and transport for many electrodes. Dimensions 18" x						
E-17		15" x 4"						
-				<u></u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	PART#	DESCRIPTION	STATUS		MSRP		QTY	
G5400		Contact paste Use for testing hard building materials (flooring,	S	\$		<mark>75</mark>	EA	
-		concrete) in conjunction with electrodes M 6 and M 21.						
	PART#	DESCRIPTION	STATUS		MSRP		QTY	
G6210		Measuring Cable MK 8 standard cable for all meters and	S	\$		53	EA	
0		electrodes designed for resistance moisture measurement.						
1	\bigcirc	Used with M 6, M 18, M 20 and M 25						

2020 MSRP 21 of 34

ELECTRICAL					
PART #	DESCRIPTION	STATUS	MSRP	QTY	
D1	3 Wire Dryer 2 ft - 30A/50A twist lock & 115V grounding plug (rubber jacket cord)	S	\$ 299	EA	





HS Tariff Code 8535.90.0000

DESCRIPTION	STATUS	MSRP	QTY	
3 Wire Range 2 ft - 50A/50A twist lock & 115V grounding plug	S	\$ 299	EA	
(rubber jacket cord)	5	 	 	



PART#

R1



HS Tariff Code 8535.90.0000

This atea been blank intentionally.

2020 MSRP 22 of 34

DUCTING			
PART #	DESCRIPTION	STATUS MSRP	QTY
14	Mylar - 4" x 25' Rated to 160 degrees case of 4 = 100 FT	S \$ 80	EA
PART #	DESCRIPTION	STATUS MSRP	QTY
LEX6	Mylar - 6" x 25' Rated to 160 degrees case of 8 = 200 FT	S \$ 120	EA
PART #	DESCRIPTION	STATUS MSRP	QTY
LEX8	Mylar - 8" x 25' Rated to 160 degrees case of 8 = 200 FT	S \$ 139	EA
PART #	DESCRIPTION	STATUS MSRP	QTY
LEX10	Mylar - 10" x 25' Rated to 160 degrees case of 4 = 100 FT	S \$ 79	EA
PART#	DESCRIPTION	STATUS MSRP	QTY
LEX12	Mylar - 12" x 25' Rated to 160 degrees case of 4 = 100 FT	S \$ 89	EA
PART #	DESCRIPTION	STATUS MSRP	QTY
LEX14	Mylar - 14" x 25' Rated to 160 degrees case of 4 = 100 FT	S \$ 119	EA
PART #	DESCRIPTION	STATUS MSRP	QTY
LEX16	Mylar - 16" x 25' Rated to 160 degrees case of 4 = 100 FT	S \$ 149	EA
PART #	DESCRIPTION	STATUS MSRP	QTY
LEX18	Mylar - 18" x 25' Rated to 160 degrees case of 4 = 100 FT	S \$ 179	EA
PART#	DESCRIPTION	STATUS MSRP	QTY
LEX22	Mylar - 22" x 25' Rated to 160 degrees case of 4 = 100 FT	S \$ 199	EA

This at a best block intentionally

2020 MSRP 23 of 34

PROTECT-IT				
PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75"	S	\$ 450	1 (10)
	Polyethylene sold in case of 10 each		តិបានសាសាសាសាសាសាសាសាសាសាសាសាសាសាសាសាសាសាស	



PART #	DESCRIPTION	STATUS	MSRP	QTY	
T-100	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75"	S	\$ 4,290	1 plt	
	Polyethylene sold by the pallet - 100 units	3	n d amannannannannannannannannannannan		



Box Item #	# B# L W H		н	Total Lbs.	HS Tariff Code	
P-IT	1	30	29	9	50	3920.90.1600
D.IT.100	1	42	16	2/	550	_

This area left blank intentionally.

2020 MSRP 24 of 34

CARRY BAGS			
PART #	DESCRIPTION	STATUS MSRP	QTY
CB1	General Purpose Carry Bag 42" x 36"	\$ \$ 39	EA
- Patter			
PART#	DESCRIPTION	STATUS MSRP	QTY
CB2	Rolling Duffel Bag 38" x 16" x 16"	S \$ 139	Î EA
PART #	DESCRIPTION	STATUS MSRP	QTY
CB3	Panel and Wall Vent Carry Bag 51" x 32"	\$ \$ 60	EA
===			
PART #	DESCRIPTION	STATUS MSRP	QTY
CB4	Drawstring Small Parts Bag 31" x 17"	S \$ 17	EA
		20	
PART #	DESCRIPTION	STATUS MSRP	QTY
CB5	Admin Pouch 2.5" x 6" x 0.67"	S \$ 19	EA
D Constant			
PART #	DESCRIPTION	STATUS MSRP	QTY
СВ6	Small Parts Pouch 6" x 10" x 2"	\$ \$ 24	EA
PART#	DESCRIPTION	STATUS MSRP	QTY
CB-7	IR Panel Bag - holds two IR panels	S \$ 78	EA
_			



This deal est blank intentionally.

2020 MSRP 25 of 34

HP SYSTEMS - MAIN UNIT QUICK CONNECT REPLACEMENT FITTINGS									
PART #	DESCRIPTION	STATUS	MSRP	QTY					
NIP1505	$1.5^{\prime\prime}$ x $5^{\prime\prime}$ threaded pipe for HP 60, HP PLUS and HP PLUS 240V.	S	\$ 15	EA					
	Installs on both the Air IN and OUT ports of system - 2 units per								
The second second	system. * Does not work with the Gen 1 clam shell style unit.								

PART#	DESCRIPTION	STATUS	MSRP	QTY
PTFC-60	HP60 Main Quick Connect fitting is ntalled on the $\underline{\mbox{Air IN}}$ side of	S	\$ 50	EA
	unit			

1

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTMA-60	HP60 Main Quick Connect fitting installed on the <u>Air OUT</u> side of unit	S	\$ 35	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY	
PTFC-PU	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting_installed	S	\$ 50	EA	
	on the <u>Air OUT</u> side of unit	3ā	1 11111111111111111111111111111111111	. 	



PART #	DESCRIPTION	STATUS	MSRP	QTY
	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting installed	S	\$ 35	EA
	on the <u>Air IN</u> side of unit	₹000000000000000000000000000000000000	1	Ланинин на на населения на насел -



HP SYSTEMS - N	IAIN HOSES				
PART #	DESCRIPTION	STATUS	MSRP	QTY	
AIMH-60-FD	HP60 Floor Drying Package Air IN Main Hose: Includes QC	S	\$ 239	EA	
	fitting (mates to PTMA-PU fitting on unit) Inline Filter, 5' Grev	5	 ······································		



PART #

DESCRIPTION	STATUS	MSRP	Qī	ГΥ	
HP60 Wall & Ceiling Package Air IN Main Hose: Includes QC	S	\$ 259	E	А	



AIMH-60-WC

fitting (mates to the PTMA-PU fitting on unit) Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W.

hose with 2" hose cuff (mate to Water Separator port).

2020 MSRP 26 of 34

F	AOMH-60	

PART#

DESCRIPTION	STATUS	MSRP	QTY
HP-60 Air OUT Main Hose (mates with PTMA fitting on unit)	S	\$ 229	EA
with Main W.	3		



	PART	#
имн-ы	J-FD	

DESCRIPTION	STATUS	MSRP	QTY	
HP PLUS & HP-PLUS240V Floor Drying Package Air IN Main	S	\$ 199	EA	
Hose: Includes OC fitting (mates to PTMA-PLI fitting on unit)	3		<u>ы.</u> Тышынын шишин шишин шишин шишин т	ā



Inline Filter, 5' Grey hose with 2" hose cuff (mate to Water Separator port).

	PART	ŧ
лімн-рі	I-WC	

DESCRIPTION	STATUS	MSRP	QTY	
HP PLUS & HP-PLUS240V Wall & Ceiling Package Air IN Main	S	\$ 199	EA	
Hase: Includes OC fitting (mates to the DTMA DIL fitting on unit)	300000000000000000000000000000000000000			



Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W.

PART# AOMH-PU

DESCRIPTION	STATUS	MSRP	QTY	
HP-PLUS & HP-PLUS240V Air OUT Main Hose (mates with PTFC-	S	\$ 130	EA	
PU fitting on unit) with Main W.	3	111111111111111111111111111111111111111	A	



HP SYSTEMS - MAIN HOSES REPAIR / REPLACE DESCRIPTION PART# **STATUS** MSRP QTY BA125C BA125C - 1.25" x close nipple pipe replacement pipe fitting for S EΑ the HP60 PRV10 and PRV20

NEW PART #

SC-10C



PART#	DESCRIPTION	STATUS	MSRP	QTY	
RP-HP60-AILA	HP60 Air IN Lead Assembly (ONLY) Replacement - QC fitting,	S	\$ 225	EA	
	Inline filter & factory set PRV - no hose section included.	ā	ā <mark>namanamanamanamanamanamanamanamanamanam</mark>		āā



PART#

DESCRIPTION	STATUS	MSRP	QTY	
HP60 Air OUT Lead Assembly (ONLY) Replacement - QC fitting	S	\$ 170	EA	
& factory set PRV - no hose section included.	3	1A111111111111111111111111111111111111		M



	PART#
F	RP-AIMH-FD-RHO

DESCRIPTION
Replacement Air IN Main Hose for HP systems - Hose Section
Only (hose cuffed end to mate with Water Separator)

STATUS	MSRP	QTY	
S	\$ 54	EA	



PARI#	
RP-AIMH-WC-RHO	,

DESCRIPTION	STATUS	MSRP	QTY	
Replacement Air IN Main Hose for HP systems - <u>Hose Section</u>	S	\$ 57	EA	
Only (female fitting on end to mate with Main W)	3	П	Mananananananananananananananananananan	1A100000000000000000000000000000000000



PART #
RP-AOMH-RHO

DESCRIPTION	STATUS	MSRP	QTY	
Replacement Air IN Main Hose for HP60 system - <u>Hose Section</u>	S	\$ 84	EA	
Only (female fitting on end to mate with Main W)	311111111111111111111111111111111111111			



PART #
RP-PLUS-AILA

DESCRIPTION	STATUS	MSRP	QTY	
HP-PLUS / HP-PLUS-240V Air IN Lead Assembly (ONLY) - QC	S	\$ 148	EA	
fitting and Inline Filter - no hose section included.	311111111111111111111111111111111111111			



PART #
RP-PLUS-AOLA

DESCRIPTION	STATUS	MSRP	QTY	
HP-PLUS /HP-PLUS-240V Air Out Lead Assembly (ONLY) -QC	S	\$ 25	EA	
fitting - no hose section included.	3			



PRV10 NEW PART #

DESCRIPTION	STATUS	MSRP	QTY	
Replacement Pressure Relief Valve - AIR IN (factory set brass	S	\$ 95	EA	
fitting includes PVC 1.25 " MPT x close).	311111111111111111111111111111111111111			





PART #	DESCRIPTION	STATUS	MSRP	QTY	
PRV20	Replacement Pressure Relief Valve - AIR OUT (factory set brass	S	\$ 95	EA	
NEW PART #	fitting includes PVC 1.25" MPT x close).	30000000000000000000000000000000000000			n

SC-PRV-AO



2020 MSRP 28 of 34

HP SYSTEMS - POWER CORDS						
PART #	DESCRIPTION	STATUS	MSRP	QTY		
RP-MC12-3-D	HP60 Hardwire Power Cord (connects to rear of the HP60 unit)	S	\$ 49	EA		



PART #	DESCRIPTION	STATUS	MSRP	QTY	
RP-MC14-3	HP60 & HP-PLUS Detachable Power Cord (connects to	S	\$ 59	EA	
	faceplate) for ETL & UL Certified units	311111111111111111111111111111111111111			



PART #	DESCRIPTION	STATUS	MSRP	QTY	
RP-PLUS240-PC	HP-PLUS-240V Detachable Power Cord 10' 8/3 SOOW w L6-20	S	\$ 139	EA	
	Female Connector &50A Male Twist Lock for UL Certified units				



This deal et blank ntentionally.

2020 MSRP 29 of 34

HP SYSTEMS - HOSES							
	PART #	DESCRIPTION	STATUS	MSRP	QTY		
АН3		Active Hoseline 6 ft hose. Each hose has 10 - 3/8" tubing ports.	S	\$ 89	EA		
1		Each hose comes with 10 - 20" pieces of tubing with Wall	ā		āā		



PART#

Injector installed.

extactor hose.

HP systems blank hoseline 1.5" x 50' sold each

DESCRIPTION	STATUS	MSRP	QTY	

S

\$

110

EΑ



HP SYSTEMS - REPLACEMENT PARTS								
PART #	DESCRIPTION	STATUS	MSRP	QTY				
HB300	2" Barb x 2" FPT - Extraction Hose Barb mates with the Main W	S	\$ 20	EA				
	to allow drying lines to connect to truck mount or portable	30000000000000000000000000000000000000	10000000000000000000000000000000000000	нининининининининининининининининин д инининининининининининин	Ā			



PART #	DESCRIPTION	STATUS	MSRP	QTY	
HC2	2" Hose cuff sold each	S	\$ 15	EA	



	PART #	DESCRIPTION	STATUS	MSRP	QTY	
НС3		HP Systems Hose cuff 1.5" works with PLO3 hose sold in pack of	S	\$ 27	EA	



PART #	DESCRIPTION	STATUS	MSRP	QTY	
WI-BLK	Wall Injectors for the HP systems 3/16" OD black in color sold	S	\$ 80	EA	
	in bag of 100	ā	ā		



PART#	DESCRIPTION	STATUS	MSRP	QTY	
WI-BLU	Wall Injectors for the HP systems 1/4" OD blue in color sold in	S	\$ 80	EA	
	bag of 100	\$		<u></u>	



2020 MSRP 30 of 34

PART #	DESCRIPTION	STATUS		MSRP	QTY	
HC-125	1.25" Push to Connect Hose Connector for use with HP	S	\$	33	EA	
	products sold in pack of 10	5			;uummuummuummuummuummuummuummuummuummuu	



PART #	DESCRIPTION	STATUS	MSRP	QTY
EC-125	1.25" Push to Connect End Cap for use with HP & Direct-It	S	\$ 29	EA
	products sold in pack of 20	311111111111111111111111111111111111111		



PART #	DESCRIPTION	STATUS	MSRP	QTY	
IM-125	1.25" Push to Connect Inline Manifold for use with HP products	S	\$ 44	EA	
	sold in pack of 5				::::::::::::::::::::::::::::::::::::::



PART #	DESCRIPTION	STATUS	MSRP	QTY	
ST-125	1.25" Push to Connect Small T for use with HP products sold in	S	\$ 30	EA	
	pack of 3	3	71	налиния политичний политичний политичний политичний политичний политичний политичний политичний политичний пол Политичний политичний политичний политичний политичний политичний политичний политичний политичний политичний	Пинининининининини



PART#	DESCRIPTION	STATUS	MSRP	QTY	
MW	2" MPT x (3) 1.25" Main W for use with HP products sold each	S	\$ 40	EA	



PART #	DESCRIPTION	STATUS	MSRP	QTY	
SY-125	1.25" Push to Connect Small Y for use with HP & Direct It	S	\$ 33	EA	
40	products sold in pack of 3	3			



PART #	DESCRIPTION	STATUS	MSRP	QTY	
HP-TUB	3/8" ID x 1/2" OD x 200' Safety Yellow sold per roll	S	\$ 189	EA	



PART #	DESCRIPTION	STATUS	MSRP	QTY
TUB-CON	3/8" X 3/8" Push to Connect Tubing Connector for use with HP	S	\$ 59	EA
	products sold in bag of 100	5		



2020 MSRP 31 of 34

PART# SM-NIP-CAP

DESCRIPTION 3/8" ID Soft (Red) Nipple Caps for use with HP products sold in **STATUS MSRP** S \$

54

QTY EΑ



PART #	DESCRIPTION	STATUS	MSRP	QTY	
VAC-T	1.25" Push to Connect Vac-T for use with HP products sold each	S	\$ 29	EA	



INTERCEPTOR (INFO1) - REPLACEMENT PARTS DESCRIPTION PART # **STATUS MSRP** QTY RP-INT-FR1 Replacement Interceptor HEPA Filter single HEPA filter with \$ EΑ S 188 single pre-filter



PART #	DESCRIPTION	STATUS	MSRP	QTY	
RP-INT-PF10	Replacement Interceptor Pre-Filter 10 pack of pre-filters	S	\$ 131	EA	



INTERCEPTOR (INFO1) & WATER SEPARATOR (WS) - REPLACEMENT HOSES					
PART #	DESCRIPTION	STATUS	MSRP	QTY	
RP-HSO-AI-INT-Air-In	Replacement 2" x 2' Grey Interceptor Air In Hose section only	S	\$ 44	EA	
	2" FPT x Cuff	300000000000000000000000000000000000000	Timonianianianianianianianianianianianianian	Тишинин или и на	



PART #	DESCRIPTION	STATUS	MSRP	QTY	
RP-HSO-AO-INT-Air-Out	Replacement 2" x 2' Grey Interceptor Air Out hose section only	S	\$ 44	EA	
	MPT x Cuff				



IR PANEL REPLACEN	MENT PARTS			
PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-IRP-Feet	IR Replacement Feet - pack of 4	S	\$ 35	EA



ADAPTERS ONLY					
PART #	DESCRIPTION	STATUS	MSRP	QTY	
ADPRING	Collar allows Direct-It, ADP5 or ADP9 to attach to NEW style	S	\$ 50	EA	
	Phoenix Guardian	\$			



PART #	DESCRIPTION	STATUS	MSRP	QTY	
ADP-5-AO	5 PORT ADAPTIDRY Adapter Only	S	\$ 170	EA	



HS Tariff Code 3917.39.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY	
ADP-9-AO	9 PORT ADAPTIDRY Adapter Only	S	\$ 199	EA	



HS Tariff Code 3917.39.0000

PART #	DESCRIPTION	STATUS	MSRP	QTY	
SA-5-AO	SPECIALTY ADAPTER 5 PORT Adapter Only	S	\$ 299	EA	



PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1-AO	Direct-It IN Adapter Only	S	\$ 295	EA



PART #	DESCRIPTION	STATUS	MSRP	Q1	Υ
UAA2-AO	Direct-It Adapter Only	S	\$ 295	E/	\



ADAPTIDRY & SA-5 - REPLACEMENT PARTS						
PART #	DESCRIPTION	STATUS	MSRP	QTY		
DC-TK4	Turn Key Clamps sold in bag of 20	S	\$ 89	EA		

2020 MSRP 33 of 34

DIRECT- IT PRODUCTS - HOSES						
	PART#	DESCRIPTION	STATUS	MSRP	QTY	
PL05		Direct-It Hoseline 1.25" x 50' roll case of 3	S	\$ 159	EA [



DIRECT- IT PRODUCTS - REPLACEMENT PARTS							
PART #	DESCRIPTION	STATUS		MSRP	QTY		
HC1	Direct It Product Hose cuffs 1.25" works with PL05 hose sold in pack of 10.	S	\$	27	EA [



PART #	DESCRIPTION	STATUS	MSRP	QTY
WP2	5/8" OD Wall Penetrators black sold in bag of 17	S	\$ 49	EA



WALL VENT - REPLACEMENT PARTS						
PART #	DESCRIPTION	STATUS	MSRP	QTY		
WV1	1' Wall Vent for Adaptidry & Specialty Adapter products sold	S	\$ 69	EA		
000	each					



DESCRIPTION	STATUS	MSRP	QTY	
2' Wall Vent for Adaptidry & Specialty Adapter products sold	S	\$ 79	EA	
each				



WV2

	PART#	DESCRIPTION	STATUS	MSRP	QTY	
WV4		4' Wall Vent for Adaptidry & Specialty Adapter products sold	S	\$ 99	EA	
		each				



PART #	DESCRIPTION	STATUS	MSRP	QTY	
Y4	4" Y for Adaptidry & Specialty Adapter products sold each	S	\$ 25	EA	



2020 MSRP 34 of 34