

OUR CONTACT INFORMATION

Office Phone:	Customer Service / Technical Support:	Office Hours:	Shipping & Receiving:
425.822.3851	felicia@injectidry.com	7AM - 3:30PM Monday - Friday - Pacific	shipping@injectidry.com
800.257.0797			

SECTION	PAGES
AIR MOVERS	2 - 5
• Force 9	2
• Max Force	3
• Typhoon	4
• VAF12E	5
HP 60 SYSTEMS - DISCONTINUED	6
HP PLUS SYSTEM	7 - 9
• Base Unit Only (with Main Hoses)	7
• Wall & Ceiling Package	8
• Floor Drying Package	9
HP PLUS 240V SYSTEM	10 - 12
• Base Unit Only (with Main Hoses)	10
• Wall & Ceiling Package	11
• Floor Drying Package	12
HP SYSTEMS - ACCESSORIES	13 - 16
• Active Hose Upgrade Kit	13
• Interceptor HEPA Filter	13
• Silencer	14
• Water Separator	14
• Vac-It Panels	14 - 16
HP SYSTEMS - REPLACEMENT COMPONENTS	17 - 26
• Air IN Main Hoses Complete	17
• Air IN Main Hoses Sub Components	18 - 19
• Air OUT Main Hoses Complete	19
• Air OUT Main Hoses Sub Components	19 - 20
• Electrical Components	20 - 21
• Interceptor HEPA Filter Replacement Parts	21
• Power Supply Cords	22
• HP Systems Products - Small Parts	23 - 25
• HP Systems Main Hose Quick Connect Fittings	25 - 26
• Velcro Power Cord Replacement Strap	26
IR PANELS	27
• IR Panels	27
• IR Panels Replacement Parts	27
ADAPTER PRODUCT	28 - 29
• Direct-It Products	28
• Adapter Products - Replacement Parts	29
CARRY BAGS	30
PROTECT-IT	31

AIR MOVERS

Force 9

PART No.	DESCRIPTION	STATUS	MSRP	QTY
DAT-F9	Dry Air Technology – Injectidry Granite Color Force 9 Air Mover: Sold EA AF-01T-F1A00273 / Single Package Item: 01 (Pallet = 18)	S <i>New!</i>	\$ 519	EA



Features & Benefits:

- The Force 9 has two speeds pulling an amazingly low 1 1/2 amps on low and only 2 1/2 amps on high.
- The power-on indicator light makes it easy to see which air movers are working from a distance. This makes for quick job site monitoring.
- The hour meter tracks the hours of operation. This is a great way to ensure your equipment is not being turned off after you leave.
- The GFCI daisy-chain panel lets you connect up to five Force 9 units (on High Speed) safely from a single outlet. Five units can stretch up to 100 feet from the outlet. This limits the need for extension cords and keeps the job site less cluttered.
- The Force 9's never-loose cord wrap design makes for quick setup and take down. The cords are securely attached using the never lose cord holder. This way as you're driving down the road you do not have to worry about a spaghetti mess of cords in the back of your vehicle.
- All Force 9 units have molded in to the shell a performance pitch arrow. Point the arrow directly at the wall when lining the Force 9s around the room, and you have the Force 9 positioned for the maximum floor and wall coverage. The performance arrow was tested and set by Chuck Dewald from the American Drying Institute (formerly the Vortex Drying School).
- Low-amperage design allows you to run more units per 15-amp circuit. Power is always a concern when setting up equipment. Traditional air movers use up 2 to 3 time more energy while delivering less CFM than the Force 9. With amp settings of 2.5 amps on high and 1.5 amps on low, you can set up (and rent) more units than ever before.
- A new bell-shaped venturi, larger fan blade, and improved aerodynamic grill all feed to its amazing high volume CFM. No other low amp axial can move more air than the Force 9. With 36% more air flow than the popular Gale Force model Pitch design to ensure the largest air flow to floor coverage possible.
- Reduced noise level for improved occupied environment conditions. The Force 9 uses advanced engineering that couples specially designed convex fan blades that can move an incredible amount of air while maintaining lower sound decibels. You can stand right next to the Force 9 while it is running on high speed and carry on a normal conversation without having to raise your voice. This is one air mover your customers will love.
- Stackable for operation or storage. The Force 9 was designed to fill a doorway and create either a negative or positive pressure in the affected area by blowing the air in a single direction.

AIR MOVERS

Max Force

PART No.	DESCRIPTION	STATUS	MSRP	QTY
DAT-MF	Dry Air Technology – Injectidry Granite Color MAX Force Air Mover: Sold EA AF-01T-E1A00216 / Single Package Item: 01 (Pallet = 12)	S <i>New!</i>	\$ 589	EA



Features & Benefits:

- 8.6A, 115V/60 Hz - 1 HP Single Speed axial air mover
- Ductable to 50 feet (ducting not included)
- Rout out hard-to-reach cavities like crawlspaces and attics with this ductable marvel
- Take on jobs with tall ceilings without having to bring and construct scaffolding
- Ventilate structures by creating negative or positive air pressure
- Moves 390% more air over turbo air movers

AIR MOVERS

Typhoon

PART No.	DESCRIPTION	STATUS	MSRP	QTY
DAT-T2	Dry Air Technology – Injectidry Granite Color Typhoon Two Speed Air Mover: Sold EA / Single Package Item: 01 (Pallet = 24)	S <i>New!</i>	\$ 334	EA



Features & Benefits:

- 3A, 115V/60 Hz - 0.4 HP Two Speed air mover
- Tilts at both 45- degree and 90 degree angles for fast drying
- Stackable design for compact storage and easy job-to-job transport
- Rugged, durable polyethylene housing absorbs shocks and reduces corrosion

VAF12E

PART No.	DESCRIPTION	STATUS	MSRP	QTY
DAT-VAF	Dry Air Technology – Injectidry Granite Color VAF12E High Pressure Air Mover: Sold EA AF-01T-D1A00389 / Single Package Item: 01 (Pallet =)	S <i>New!</i>	\$ 569	EA




Features & Benefits:


- VAF12E is a high-pressure, high-velocity air mover. It features a powerful 1 HP motor that pulls 7.1 amps and operates on a single speed.
- The aerodynamic design of this axial fan yields very high airflow rates from a compact, lightweight package.
- This unit can function as a freestanding air mover, and it can also be ducted to provide positive or negative airflow. Both the intake and exhaust ports of the air mover are ductable for positive or negative airflow.
- The VAF12E is perfect for restoration jobs with long lines of ducting. This air mover can be placed in the ducting line and act as a booster to push wet air along. It's ideal for use with large restoration equipment, such as desiccant dehumidifiers.
- 115V, 7.1A, 2000 CFM, 1 HP

HP 60 SYSTEMS


Base Unit Only (with Main Hoses)

PART No.	DESCRIPTION	STATUS	MSRP	QTY
HP-60-BO	HP 60 System configured in Base System Only Kit / Requires 15A-115V / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02			
		Discontinued and replaced with the HP-PLUS-BO		

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-60-01	HP 60 System configured in Wall & Ceiling Kit / Requires 15A-115V / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03			
		Discontinued and replaced with the HP-PLUS-01		

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-60-FDP	HP 60 System configured in Floor Drying Kit / Requires 15A-115V / Multiple Package Item: 04			
		Discontinued and replaced with the HP-PLUS-FDP		

HP PLUS SYSTEMS

Base Unit Only (with Main Hoses)

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-BO	HP PLUS System with VFD technology configured in Base System Only Kit / Requires 15A-115V / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 4,060	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS-GEN3-BX1-STD-AC-C	01	01			HP PLUS System
BO-PLUSFAM-BX2-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose

HP PLUS SYSTEMS

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-01	HP PLUS System with VFD technology configured in Wall & Ceiling Kit / Requires 15A-115V / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 5,919	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS-GEN3-BX1-STD-AC-C	01	01			HP PLUS System
01-PLUSFAM-BX2-STD-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	12	AH3	21	Activehoses ®
	02	24	HC3	22	1.5" Hose cuffs
	02	14	HC-125	22	Hose Connectors
	02	01	CB1	32	General Purpose Carry Bag
	02	01	CB2	32	Rolling Duffel Bag
01-AF-BX3-STD	03	01	PL03	23	1.5" x 25' Uncut Blank Hose
	03	02	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
	03	02	IM-125	22	Inline Manifolds
	03	08	HC3	22	1.5" Hose cuffs
	03	150	WI-BLK	24	3/16" OD Black Wall Injectors
	03	50	SM -NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	50	TUB-CON	23	3/8" x 3/8" OD Tubing Connectors
	03	04	EC-125	22	1.25" Push to connect End Cap Plugs
03	02	SY-125	23	Small Y's	

HP PLUS SYSTEM

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-FDP	HP PLUS System with VFD technology configured in Floor Drying Kit / Requires 15A-115V / Multiple Package Item: 04	S	\$ 6,518	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. (COMES WITH THIS PACKAGE)

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS-GEN3-BX1-STD-AC-C	01	01			HP PLUS System
FDP-PLUSFAM-BX2-STD-RV	02	01	AIMH-PU-FD	16	Main Air IN Hose w/ 2" Cuff
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	01	WS	13	Water Separator
	02	01	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
VP	03	01			Slim Panel - Large Port Clear
	03	05			Slim Panel - Small Ports
	03	03			Multi-Port Panel
	03	06			XSP Panel
	03	01			8 Point panel
	03	50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	04	VAC-T	24	Vac-T
	03	01	CB3	32	Panel and Wall Vent Carry Bag
	03	10	EC-125	22	1.25" Push to connect End Cap Plugs
FDP-AF-BX4-STD	04	02	PL03	23	1.5" x 50' Uncut Blank Hose
	04	01	CB2	32	Rolling Duffel Bag
	04	30	HC3	22	1.5" Hose cuffs
	04	09	IM-125	22	Inline Manifolds
	04	02	SY-125	23	Small Y's
	04	04	HC-125	22	1.25" Hose Connectors
	04	01	HB300	22	Truck mount Extraction Connector
	04	01	MW	23	Main W (to be used with HB300)

HP PLUS 240V SYSTEM

Base Unit Only (with Main Hoses)

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-BO	HP-PLUS-240V System with VFD Technology configured in Base System Only Kit / 230V - 20A circuit required / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 4,151	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS240V-GEN3-BX1-STD	01	01			HP PLUS-240V System
BO-PLUSFAM-BX2-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose

HP PLUS 240V SYSTEM

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-01	HP-PLUS-240V System with VFD Technology configured in Wall & Ceiling Drying Kit / 230V - 20A circuit required / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 6,009	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS240V-GEN3-BX1-STD	01	01			HP PLUS-240V System
01-PLUSFAM-BX2-STD-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	12	AH3	21	Activehoses ®
	02	24	HC3	22	1.5" Hose cuffs
	02	14	HC-125	22	Hose Connectors
	02	01	CB1	32	General Purpose Carry Bag
	02	01	CB2	32	Rolling Duffel Bag
01-AF-BX3-STD	03	01	PL03	23	1.5" x 25' Uncut Blank Hose
	03	02	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
	03	02	IM-125	22	Inline Manifolds
	03	08	HC3	22	1.5" Hose cuffs
	03	150	WI-BLK	24	3/16" OD Black Wall Injectors
	03	50	SM -NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	50	TUB-CON	23	3/8" x 3/8" OD Tubing Connectors
	03	04	EC-125	22	1.25" Push to connect End Cap Plugs
03	02	SY-125	23	Small Y's	

HP PLUS 240V SYSTEM

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-FDP	HP-PLUS-240V System with VFD Technology configured in Floor Drying Kit / 230V - 20A circuit required / Multiple Package Item: 04	S	\$ 6,609	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. (COMES WITH THIS PACKAGE)

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS240V-GEN3-BX1-STD	01	01			HP PLUS-240V System
FDP-PLUSFAM-BX2-STD-RV	02	01	AIMH-PU-FD	16	Main Air IN Hose w/ 2" Cuff
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	01	WS	13	Water Separator
	02	01	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
VP	03	01			Slim Panel - Large Port Clear
	03	05			Slim Panel - Small Ports
	03	03			Multi-Port Panel
	03	06			XSP Panel
	03	01			8 Point panel
	03	50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	04	VAC-T	24	Vac-T
	03	01	CB3	32	Panel and Wall Vent Carry Bag
	03	10	EC-125	22	1.25" Push to connect End Cap Plugs
FDP-AF-BX4-STD	04	02	PL03	23	1.5" x 50' Uncut Blank Hose
	04	01	CB2	32	Rolling Duffel Bag
	04	30	HC3	22	1.5" Hose cuffs
	04	09	IM-125	22	Inline Manifolds
	04	02	SY-125	23	Small Y's
	04	04	HC-125	22	1.25" Hose Connectors
	04	01	HB300	22	Truck mount Extraction Connector
	04	01	MW	23	Main W (to be used with HB300)

HP SYSTEMS - ACCESSORIES

Active Hose Upgrade Kit

PART #	DESCRIPTION	STATUS	MSRP	QTY
AH-CWK-2A	Wall & Ceiling Active Hose Upgrade Kit for customers who own the FDP Kit and want to add capability to dry walls, ceilings and cabinets / Single Pkg	S	\$ 1,147	EA




QTY	PART #	PG	DESCRIPTION
12	AH3	21	Activehoses®
01	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
02	SY-125	23	Small Y's
50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
50	TUB-CON	23	3/8" x 3/8" OD Tubing Connectors
150	WI-BLK	24	3/16" OD Black Wall Injectors
10	EC-125	22	1.25" Push to connect End Cap Plugs
01	CB1	32	General Purpose Carry Bag
24	HC3	22	1.5" Hose cuffs
12	HC-125	22	1.25" Hose Connectors

Interceptor HEPA Filter

PART #	DESCRIPTION	STATUS	MSRP	QTY
INF01	Interceptor In-Line HEPA Filter System. Protect your HP system & job from spreading contaminants. / Single Pkg	S	\$ 388	EA



QTY	EX	PART #	PG	DESCRIPTION
01				Interceptor HEPA Housing
01	A	RP-INT-FR1	20	HEPA Filter
01	B	RP-INT-PF10	20	Pre-Filter
01	C	RP-HSO-INT	16	Air IN hose
01	D	RP-HSO-INT-WS	18	Air OUT hose



HP SYSTEMS - ACCESSORIES

Silencer

PART #	DESCRIPTION	STATUS	MSRP	QTY
SILENCER	The Silencer - for use with HP Systems to reduce sound decibels / Single Pkg	S	\$ 137	EA



QTY	PART #	PG	DESCRIPTION
01			HP Silencer

Water Separator

PART #	DESCRIPTION	STATUS	MSRP	QTY
WS	Water Separator for use with the HP system on negative (suction) to protect the unit from ingesting liquid through the unit. / Single Pkg.	S	\$ 289	EA



NOTE: You will still need to use a truck mount or portable to remove the bulk of the liquid prior to using the WS.

QTY	PART #	PG	DESCRIPTION
01			Water Separator Housing
01	RP-HSO-INT-WS	18	Air IN hose

Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
8-P-10	Vac-It Panel - The original 8 Point Panel 46" x 30" ABS plastic - (8) 3/8" extraction points per panel - sold in a 10 pack / Single Pkg.	S	\$ 765	EA



QTY	PART #	PG	DESCRIPTION
10			8 Point Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
DRMK-1	Replacement Dri-Eaz Mat Kit for DriForce 17" x 46" Panels. Now you can use Injectidry Panels with the Dri-Force / Single Pkg.	S	\$ 483	EA



QTY	PART #	PG	DESCRIPTION
03			Slim Panels Large Port, Black ABS
01			Slim Panels Large Port, Clear Poly
02	VAC-T	24	Vac-T
06	HC3	22	1.5" Hose cuffs

HP SYSTEMS - ACCESSORIES


Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
MP-6	Vac-It Panel - Set of 6 Multi-Port Panel 46" x 30" ABS plastic with gasket - (1) Large (Vac-T) extraction port and (5) 3/8" extraction points per panel / Single Pkg.	S	\$ 842	EA




QTY	PART #	PG	DESCRIPTION
06			Multi-Port Panels
06	VAC-T	24	Vac-T
06	EC-125	22	1.25" Push to connect End Cap Plugs
30	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps

PART #	DESCRIPTION	STATUS	MSRP	QTY
PUK	Vac-It Panel - Multi-Port U Shaped Panel Kit constructed out of ABS plastic - gasketed on the main panel ONLY - (1) Large (Vac-T) extraction port and (5) 3/8" extraction points / Single Pkg.		Discontinued and replaced by the XSP-10	



PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-LPC-1	Vac-It Panel - Single Slim Large Port Clear Panels 17" x 46" Polycarbonate plastic with gasket -(1) Large (Vac-T) extraction port / Single Pkg.	S	\$ 187	EA



QTY	PART #	PG	DESCRIPTION
01			Slim Panels - Large Port Clear
01	VAC-T	24	Vac-T

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-LPC-5	Vac-It Panel - Set of five Slim Large Port Clear Panels 17" x 46" Polycarbonate plastic with gasket -(1) Large (Vac-T) extraction port / Single Pkg.	S	\$ 768	EA



QTY	PART #	PG	DESCRIPTION
05			Slim Panels - Large Port Clear
05	VAC-T	24	Vac-T

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-SP-9	Vac-It Panel - Set of nine Slim Panel Small Ports 17" x 46" ABS plastic with gasket - (5) 3/8" extraction points / Single Pkg.	S	\$ 892	EA



QTY	PART #	PG	DESCRIPTION
09			Slim Panels - Small Ports
20	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
01	CB3	32	Panel and Wall Vent Carry Bag

HP SYSTEMS - ACCESSORIES

Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
VP	Variety Panel Package / Single Pkg.	S	\$ 1,286	EA



QTY	PART #	PG	DESCRIPTION
01			Slim Panels - Large Port Clear
05			Slim Panels - Small Ports
03			Multi Port
06			XSP Panels
01			8 Point Panel
50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
04	VAC-T	24	Vac-T
01	CB3	32	Panel and Wall Vent Carry Bag
10	EC-125	22	1.25" Push to connect End Cap Plugs


PART #	DESCRIPTION	STATUS	MSRP	QTY
XSP-10	Vac-It Panel - Extra Slim Small Point 7" x 30" ABS plastic - (1) 3/8" extraction point	S	\$ 271	EA





QTY	PART #	PG	DESCRIPTION
10			XSP Panels


HP SYSTEMS - ACCESSORIES


Air IN Main Hoses Complete

PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-60-FD	HP 60 Floor Drying Package Air IN Main Hose: Includes QC fitting (mates to PTMA-PU fitting on unit) Inline Filter, 5' Grey hose with 2" hose cuff (mates to Water Separator port).	SO	\$ 387	EA				
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP 60</td> <td></td> </tr> <tr> <td>X</td> <td></td> </tr> </table>			HP 60		X	
HP 60								
X								

PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-60-WC	HP60 Wall & Ceiling Package Air IN Main Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W.	SO	\$ 410	EA				
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP 60</td> <td></td> </tr> <tr> <td>X</td> <td></td> </tr> </table>			HP 60		X	
HP 60								
X								


PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-PU-FD-RV	HP PLUS & HP-PLUS240V Floor Drying Package Air IN Main Hose: Includes QC fitting (mates to PTMA-PU fitting on unit) Clear Top Inline Filter, 5' Grey hose with 2" hose cuff (mates to Water Separator port)	S	\$ 262	EA				
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP PLUS</td> <td>HP PLUS 240V</td> </tr> <tr> <td>X</td> <td>X</td> </tr> </table>			HP PLUS	HP PLUS 240V	X	X
HP PLUS	HP PLUS 240V							
X	X							


PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-PU-WC-RV	HP PLUS & HP-PLUS240V Wall & Ceiling Package Air IN Main Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Clear Top Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W	S	\$ 266	EA				
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP PLUS</td> <td>HP PLUS 240V</td> </tr> <tr> <td>X</td> <td>X</td> </tr> </table>			HP PLUS	HP PLUS 240V	X	X
HP PLUS	HP PLUS 240V							
X	X							


PART #	DESCRIPTION	STATUS	MSRP	QTY				
RP-HSO-INT	Replacement 2" x 2' Grey Interceptor Air IN Hose section only 2" FPT x Cuff for the Interceptor HEPA.	S	\$ 48	EA				
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>Interceptor HEPA</td> <td></td> </tr> <tr> <td>X</td> <td></td> </tr> </table>			Interceptor HEPA		X	
Interceptor HEPA								
X								


HP SYSTEMS - REPLACEMENT COMPONENTS


Air IN Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AIMH-FD-RHO	Replacement Air IN Main Hose for HP systems - Hose Section <u>Only</u> (hose cuffed end to mate with Water Separator)	S	\$ 48	EA
	Part Listed Above is Compatible with	HP 60 X	HP PLUS X	HP PLUS 240V X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AIMH-WC-RHO	Replacement Air IN Main Hose for HP systems - Hose Section <u>Only</u> (female fitting on end to mate with Main W)	S	\$ 57	EA
	Part Listed Above is Compatible with	HP 60 X	HP PLUS X	HP PLUS 240V X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HP60-AILA	HP 60 Air IN Lead Assembly (ONLY) Replacement - QC fitting, Inline filter & factory set PRV - no hose section included.	SO	\$ 338	EA
	Part Listed Above is Compatible with	HP 60 X		

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-PLUS-AILA-RV	HP-PLUS / HP-PLUS-240V Air IN Lead Assembly (ONLY) - QC fitting and Inline Filter - no hose section included	S	\$ 209	EA
	Part Listed Above is Compatible with		HP PLUS X	HP PLUS 240V X

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-10C	1.25" x close nipple pipe replacement pipe fitting for the HP60 PRV10 and PRV20	SO	\$ 26	EA
	Part Listed Above is Compatible with	HP 60 X		

HP SYSTEMS - REPLACEMENT COMPONENTS

Air IN Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-PRV-AI	Replacement Pressure Relief Valve - AIR IN (factory set brass fitting includes PVC 1.25" MPT x close)	SO	\$ 139	EA



Part Listed Above is
Compatible with

HP 60
X

Air OUT Main Hoses Complete

PART #	DESCRIPTION	STATUS	MSRP	QTY
AOMH-60	HP 60 Air OUT Main Hose (mates with PTMA fitting on unit) with Main W or Silencer	SO	\$ 528	EA



Part Listed Above is
Compatible with

HP 60
X


PART #	DESCRIPTION	STATUS	MSRP	QTY
AOMH-PU	HP-PLUS & HP-PLUS240V Air OUT Main Hose (mates with PTFC-PU fitting on unit) with Main W or Silencer	S	\$ 157	EA



Part Listed Above is
Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HSO-INT-WS	Replacement 2" x 2' Grey Interceptor Air Out hose section only MPT x Cuff for the Water Sparator and Interceptor HEPA.	S	\$ 53	EA



Part Listed Above is
Compatible with

Water Separator	Interceptor HEPA
X	X

Air OUT Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AOMH-RHO	Replacement Air OUT Main Hose for HP60 system - <u>Hose Section Only</u> (female fitting on end to mate with Main W or Silencer)	S	\$ 90	EA



Part Listed Above is
Compatible with

HP 60	HP PLUS	HP PLUS 240V
X	X	X

HP SYSTEMS - REPLACEMENT COMPONENTS

Air OUT Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HP60-AOLA	HP 60 Air OUT Lead Assembly (ONLY) Replacement - QC fitting & factory set PRV - no hose section included.	SO	\$ 247	EA



Part Listed Above is
Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-PLUS-AOLA	HP-PLUS /HP-PLUS-240V Air Out Lead Assembly (ONLY) -QC fitting - no hose section included	S	\$ 38	EA



Part Listed Above is
Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-PRV-AO	Replacement Pressure Relief Valve - AIR OUT (factory set brass fitting includes PVC 1.25" MPT x close)	SO	\$ 139	EA



Part Listed Above is
Compatible with

HP 60
X

Electrical Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100200300-HR-UL	Replacement Hour Meter GEN 2 & 3: Hour Meter for all non-certified, ETL certified and/or UL certified HP 60, PLUS and HP-PLUS-240V units.	S	\$ 89	EA

Part Listed Above is
Compatible with

HP 60	HP PLUS	HP PLUS 240V
X	X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100-G2-3-PSB	Replacement Power Switch Breaker for HP-60 Gen 2 & 3 HP60 units	SO	\$ 53	EA




Part Listed Above is
Compatible with

HP 60
X

HP SYSTEMS - REPLACEMENT COMPONENTS

Electrical Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-200300-G3-PS-UL	Replacement Power Switch for PLUS & HP-PLUS-240V Gen 3 units (serial plates with Silver or Gold Foil)	S	\$ 26	EA




Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

Interceptor HEPA Filter Replacement Parts


PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-INT-FR1	Replacement Interceptor HEPA Filter single HEPA filter with single pre-filter	S	\$ 225	EA



Part Listed Above is Compatible with

Interceptor HEPA
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-INT-PF10	Replacement Interceptor Pre-Filter 10 pack of pre-filters	S	\$ 127	EA





Part Listed Above is Compatible with

Interceptor HEPA
X

HP SYSTEMS - REPLACEMENT COMPONENTS

Power Supply Cords

PART #	DESCRIPTION	STATUS	MSRP	QTY					
RP-MC14-3-HW-AC	Replacement Hard Wire Power Supply Cord for GEN 3 UL Certified units (silver foil on serial plate): 14/3 SJTW NA 105C YELLOW 20FT NEMA 5-15P BLACK PLUG – hardwired directly to face plate	S	\$ 112	EA					
		<table border="1"> <tr> <td rowspan="2">Part Listed Above is Compatible with</td> <td>HP 60</td> <td>HP PLUS</td> </tr> <tr> <td>X</td> <td>X</td> </tr> </table>			Part Listed Above is Compatible with	HP 60	HP PLUS	X	X
Part Listed Above is Compatible with	HP 60	HP PLUS							
	X	X							

PART #	DESCRIPTION	STATUS	MSRP	QTY					
RP-100200-G3-S2-HWC	Replacement Hard Wire Power Supply Cord for GEN 3 UL Certified units Conversion Kit (silver foil on serial plate): Same as part above but with faceplate cover kit to convert receptacle to hardwire mounted.	S	\$ 210	EA					
		<table border="1"> <tr> <td rowspan="2">Part Listed Above is Compatible with</td> <td>HP 60</td> <td>HP PLUS</td> </tr> <tr> <td>X</td> <td>X</td> </tr> </table>			Part Listed Above is Compatible with	HP 60	HP PLUS	X	X
Part Listed Above is Compatible with	HP 60	HP PLUS							
	X	X							

PART #	DESCRIPTION	STATUS	MSRP	QTY			
RP-PLUS240V-G3-HW	GEN 3 Roto-mold: HP-PLUS-240V Attached Power Cord 10' 8/3 SOOW 50A Male Twist Lock for UL Certified units (Silver foil on serial plate)	S	\$ 186	EA			
<table border="1"> <tr> <td rowspan="2">Part Listed Above is Compatible with</td> <td>HP PLUS 240V</td> </tr> <tr> <td>X</td> </tr> </table>		Part Listed Above is Compatible with	HP PLUS 240V	X			
Part Listed Above is Compatible with	HP PLUS 240V						
	X						

PART #	DESCRIPTION	STATUS	MSRP	QTY			
RP-PLUS240V-HWC	GEN 3 Roto-mold: HP-PLUS-240V Attached Power Cord Conversion Kit 10' 8/3 SOOW 50A Male Twist Lock for UL Certified units (Silver foil on serial plate)	S	\$ 201	EA			
<table border="1"> <tr> <td rowspan="2">Part Listed Above is Compatible with</td> <td>HP PLUS 240V</td> </tr> <tr> <td>X</td> </tr> </table>		Part Listed Above is Compatible with	HP PLUS 240V	X			
Part Listed Above is Compatible with	HP PLUS 240V						
	X						

HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Products - Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

AH3 **Active Hoseline 6 ft hose.** Each hose has 10 - 3/8" tubing ports. Each hose comes with 10 - 20" pieces of tubing with Wall Injector installed



		S	\$ 109	EA
--	--	---	--------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

EC-125 **1.25" Push to Connect End Cap** for use with HP & Direct-It products sold in pack of 20



		S	\$ 40	EA
--	--	---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HB300 **2" Barb x 2" FPT - Extraction Hose Barb** mates with the Main W to allow drying lines to connect to truck mount or portable extactor hose



		S	\$ 34	EA
--	--	---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HC-125 **1.25" Push to Connect Hose Connector** for use with HP products sold in pack of 10



		S	\$ 54	EA
--	--	---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HC2 **2" Hose cuff** sold each



		S	\$ 23	EA
--	--	---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HC3 **HP Systems Hose cuff 1.5"** works with PL03 hose sold in pack of 10



		S	\$ 79	EA
--	--	---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HP-TUB **3/8" ID x 1/2" OD x 200'** Safety Yellow sold per roll



		S	\$ 203	EA
--	--	---	--------	----

HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Products - Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
IM-125	1.25" Push to Connect Inline Manifold for use with HP products sold in pack of 5	S	\$ 89	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
MW	2" MPT x (3) 1.25" Main W for use with HP products sold each	S	\$ 56	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
NIP1505	1.5" x 5" threaded pipe for HP 60, HP PLUS and HP PLUS 240V. Installs on both the Air IN and OUT ports of system - 2 units per system. * Does not work with the Gen 1 clam shell style unit	S	\$ 36	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
PL03	HP systems blank hose line 1.5" x 50' sold each	S	\$ 318	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SM-NIP-CAP	3/8" ID Soft (Red) Nipple Caps for use with HP products sold in bag of 100	S	\$ 64	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
ST-125	1.25" Push to Connect Small T for use with HP products sold in pack of 3	S	\$ 65	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SY-125	1.25" Push to Connect Small Y for use with HP & Direct It products sold in pack of 3	S	\$ 44	EA



HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Products - Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
TUB-CON	3/8" X 3/8" Push to Connect Tubing Connector for use with HP products sold in bag of 100	S	\$ 116	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
VAC-T	1.25" Push to Connect Vac-T for use with HP products sold each	S	\$ 47	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WI-BLK	Wall Injectors for the HP systems 3/16" OD black in color sold in bag of 100	S	\$ 135	EA



HP Systems Main Hose - Quick Connect Fittings

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTFC-60	HP 60 Main Quick Connect fitting installed on the Air IN side of unit	SO	\$ 94	EA



Part Listed Above is
Compatible with

HP 60	
X	

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTMA-60	HP 60 Main Quick Connect fitting installed on the Air OUT side of unit	SO	\$ 59	EA



Part Listed Above is
Compatible with

HP 60	
X	

HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Main Hose - Quick Connect Fittings

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTFC-PU	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting installed on the <u>Air OUT</u> side of unit	S	\$ 94	EA



Part Listed Above is
Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTMA-PU	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting installed on the <u>Air IN</u> side of unit	S	\$ 59	EA



Part Listed Above is
Compatible with

HP PLUS	HP PLUS 240V
X	X

Velcro Power Cord Replacement Strap

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100200300-RVS-UL	Replacement Velcro Strap for Gen 3 Roto-molds (for the power cord)	S	\$ 42	EA

IR PANELS

IR Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
IRP-400-B	IRP-400-B ~ Infrared Panel for Floor and Wall Drying ~ 16" X 46" X 1", 120 Volts, 400 Watts, IR Panel set of 2 with 8 feet	S	\$ 1,872	EA



QTY	PART #	PG	DESCRIPTION
02			IR Panel
08	RP-IRP-Feet	27	Feet
01	CB7	33	IR Panel Carry Bag

IR Panels Replacement Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-IRP-Feet	IR Replacement Feet - pack of 4	S	\$ 74	EA



ADAPTERS

Direct-It Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1	Universal Air mover Adapter - Direct-It IN Dry up to 22 linear feet (as packaged) works with most standard Air movers, (17) 1.25" ports direct air to 5/8" Wall Penetrators to help dry wall, ceiling cavities as well as underneath cabinetry.	S	\$ 755	EA



QTY	PART #	PG	DESCRIPTION
01	UAA1-AO	31	Direct-It IN Housing
17	WP2	31	5/8" Wall Penetrators
17	HC1	30	1.25" Hose cuff
10	EC-125	22	1.25" Push to connect End Cap Plugs
03	PL05	30	1.25" x 50' Direct-It Hose
01	CB1	32	General Purpose Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1-12	Universal Air mover Adapter - Direct-It IN *1 PALLET of 12ea UAA1 KITS*	SO	\$ 8,366	EA



ADAPTERS

PART #	DESCRIPTION	STATUS	MSRP	QTY
HC1	Direct It Product Hose cuffs 1.25" works with PL05 hose sold in pack of 10	S	\$ 39	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
PL05	Direct-It Hoseline 1.25" x 50' roll case of 3	S	\$ 250	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1-AO	Direct-It IN <u>Adapter Only</u>	S	\$ 361	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WP2	5/8" OD Wall Penetrators black sold in bag of 17	S	\$ 68	EA



CARRY BAGS

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

CB1

General Purpose Carry Bag 42" x 36"

S

\$ 57

EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

CB2

Rolling Duffel Bag 38" x 16" x 16"

S

\$ 207

EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

CB3

Panel and Wall Vent Carry Bag 51" x 32"

S

\$ 96

EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

CB-7

IR Panel Bag - holds two IR panels or 9 SP-SP panels

LS-DISC

\$ 96

EA



PROTECT-IT

PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT-1	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75" Polyethylene sold EA	S	\$ 75	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75" Polyethylene sold in case of 10 each	S	\$ 714	1 (10)



QTY	PART #	PG	DESCRIPTION
01			Protect-It (Case)

PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT-100	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75" Polyethylene sold by the pallet - 100 units	S	\$ 6,694	2 plts



QTY	PART #	PG	DESCRIPTION
01			Protect-It (two small pallets of 50 each)