

OUR CONTACT INFORMATION

Office Phone: 425.822.3851	Toll Free Number : 800.257.0797	Fax Number: 425.745.8480	Customer Service / Technical Support: ext 120 felicia@injectidry.com
--------------------------------------	---	------------------------------------	---

Repairs / Returns: ext 117 repairs@injectidry.com	Office Hours: 7AM - 3:30PM Monday - Friday - Pacific
--	--

Status Key:

STATUS	Definition
S	Stock items usually ship within 48 hours
SO	Special Orders may require a lead time and non-returnable
LS-DISC	Limited Stock on hand - when inventory runs out we will no longer restock
NEW!	New product
Red	Revisions to pricing, packaging, part numbers or descriptions will be in red font

Freight Damage:

• Go to injectidry.com for current guidelines & forms	• Contact shipping@dry-it.com or 425.822.3851 ext. 109
---	--

Repairs:

• Go to injectidry.com for current guidelines & forms	• Send completed forms to repairs@injectidry.com or fax to 425.745.8480
---	---

Returns:

• Contact the place of purchase.	• Contact eric@dry-it.com or 425.822.3851 ext. 117
----------------------------------	--

HP 60 SYSTEM

Base Unit Only (with Main Hoses)

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-60-BO	HP 60 System configured in Base System Only Kit / Requires 15A 115V / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 2,499	EA



- Box 1 Includes:** 01 HP60 System
- Box 2 Includes:** 01 AIMH-60-WC Main Air IN Hose w/ Main W
01 AOMH-60 Main Air OUT Hose

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-60-01	HP 60 System configured in Wall & Ceiling Kit / Requires 15A-115V / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 3,895	EA



- Box 1 Includes:** 01 HP 60 System
- Box 2 Includes:** 01 AIMH-60-WC Main Air IN Hose w/ Main W
01 AOMH-60 Main Air OUT Hose
01 Silencer
12 AH3 Activehoses®
24 HC3 1.5" Hose cuffs
14 HC-125 1.25" Hose Connectors
01 CB1 General Purpose Carry Bag
01 CB2 Rolling Duffel Bag
- Box 3 Includes:** 01 PL03 1.5" x 25' Uncut Blank Hose
02 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing
02 IM-125 Inline Manifolds
08 HC3 1.5" Hose cuffs
150 WI-BLK 3/16" OD Black Wall Injectors
50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
50 TUB-CON 3/8" x 3/8" OD Tubing Connectors
04 EC-125 1.25" Push to connect End Cap Plugs
02 SY-125 Small Y's

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

This area left blank intentionally.

HP 60 SYSTEM

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-60-FDP	HP 60 System configured in Floor Drying Kit / Requires 15A-115V / Multiple Package Item: 04	S	\$ 4,500	EA



- Box 1 Includes:** 01 HP-60 System
- Box 2 Includes:**
 - 01 AIMH-60-FD Main Air IN Hose w/ 2" Cuff
 - 01 AOMH-60 Main Air OUT Hose
 - 01 Silencer
 - 01 WS Water Separator
 - 01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing
- Box 3 Includes:**
 - 01 Slim Panels - Large Port Clear
 - 05 Slim Panels - Small Ports
 - 03 Multi Port
 - 06 XSP Panels
 - 01 8 Point Panel
 - 50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
 - 04 VAC-T Vac-T
 - 01 CB3 Panel and Wall Vent Carry Bag
- Box 4 Includes:**
 - 10 EC-125 1.25" Push to connect End Cap Plugs
 - 02 PL03 1.5" x 50' Uncut Blank Hose
 - 01 CB2 Rolling Duffel Bag
 - 30 HC3 1.5" Hose cuffs
 - 09 IM-125 Inline Manifolds
 - 02 SY-125 Small Y's
 - 04 HC-125 1.25" Hose Connectors
 - 01 HB300 Trunk mount Extraction Connector
 - 01 MW Main W (to be used with HB300)

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

This area left blank intentionally.

HP PLUS SYSTEM

Base Unit Only (with Main Hoses)

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-BO	HP PLUS System with VFD technology configured in Base System Only Kit / Requires 15A-115V / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 2,995	EA



- Box 1 Includes:** 01 HP-PLUS System
- Box 2 Includes:** 01 AIMH-PU-WC Main Air IN Hose with Main W
01 AOMH-PU Main Air OUT Hose

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-01	HP PLUS System with VFD technology configured in Wall & Ceiling Kit / Requires 15A-115V / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 4,299	EA



- Box 1 Includes:** 01 HP-PLUS System
- Box 2 Includes:** 01 AIMH-PU-WC Main Air IN Hose with Main W
01 AOMH-PU Main Air OUT Hose
01 Silencer
12 AH3 Activehoses®
24 HC3 1.5" Hose cuffs
14 HC-125 1.25" Hose Connectors
01 CB1 General Purpose Carry Bag
01 CB2 Rolling Duffel Bag
- Box 3 Includes:** 01 PL03 1.5" x 25' Uncut Blank Hose
02 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing
02 IM-125 Inline Manifolds
08 HC3 1.5" Hose cuffs
150 WI-BLK 3/16" OD Black Wall Injectors
50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
50 TUB-CON 3/8" x 3/8" OD Tubing Connectors
04 EC-125 1.25" Push to connect End Cap Plugs
02 SY-125 Small Y's

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

This area left blank intentionally.

HP PLUS SYSTEM

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-FDP	HP PLUS System with VFD technology configured in Floor Drying Kit / Requires 15A-115V / Multiple Package Item: 04	S	\$ 4,799	EA



- Box 1 Includes:**
 - 01 HP-PLUS System
- Box 2 Includes:**
 - 01 AIMH-PU-FD Main Air IN Hose with 2" cuff
 - 01 AOMH-PU Main Air OUT Hose
 - 01 Silencer
 - 01 WS Water Separator
 - 01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing
- Box 3 Includes:**
 - 01 Slim Panels - Large Port Clear
 - 05 Slim Panels - Small Ports
 - 03 Multi Port
 - 06 XSP Panels
 - 01 8 Point Panel
 - 50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
 - 04 VAC-T Vac-T
 - 01 CB3 Panel and Wall Vent Carry Bag
- Box 4 Includes:**
 - 10 EC-125 1.25" Push to connect End Cap Plugs
 - 02 PL03 1.5" x 50' Uncut Blank Hose
 - 01 CB2 Rolling Duffel Bag
 - 30 HC3 1.5" Hose cuffs
 - 09 IM-125 Inline Manifolds
 - 02 SY-125 Small Y's
 - 04 HC-125 1.25" Hose Connectors
 - 01 HB300 Trunk mount Extraction Connector
 - 01 MW Main W (to be used with HB300)

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

This area left blank intentionally.

HP PLUS 240V SYSTEM

Base Unit Only (with Main Hoses)

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-BO	HP-PLUS-240V System with VFD Technology configured in Base System Only Kit / 230V - 20A circuit required / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 3,095	EA



- Box 1 Includes:** 01 HP-PLUS-240V System
- Box 2 Includes:** 01 AIMH-PU-WC Main Air IN Hose with Main W
01 AOMH-PU Main Air OUT Hose

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-01	HP-PLUS-240V System with VFD Technology configured in Wall & Ceiling Drying Kit / 230V - 20A circuit required / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 4,595	EA



- Box 1 Includes:** 01 HP-PLUS-240V System
- Box 2 Includes:** 01 AIMH-PU-WC Main Air IN Hose with Main W
01 AOMH-PU Main Air OUT Hose
01 Silencer
12 AH3 Activehoses[®]
24 HC3 1.5" Hose cuffs
14 HC-125 1.25" Hose Connectors
01 CB1 General Purpose Carry Bag
01 CB2 Rolling Duffel Bag
- Box 3 Includes:** 01 PL03 1.5" x 25' Uncut Blank Hose
02 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing
02 IM-125 Inline Manifolds
08 HC3 1.5" Hose cuffs
150 WI-BLK 3/16" OD Black Wall Injectors
50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
50 TUB-CON 3/8" x 3/8" OD Tubing Connectors
04 EC-125 1.25" Push to connect End Cap Plugs
02 SY-125 Small Y's

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

This area left blank intentionally.

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-FDP	HP-PLUS-240V System with VFD Technology configured in Floor Drying Kit / 230V - 20A circuit required / Multiple Package Item: 04	S	\$ 4,990	EA



- Box 1 Includes:**
 - 01 HP-PLUS-240V System
- Box 2 Includes:**
 - 01 AIMH-PU-FD Main Air IN Hose with 2" cuff
 - 01 AOMH-PU Main Air OUT Hose
 - 01 Silencer
 - 01 WS Water Separator
 - 01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing
- Box 3 Includes:**
 - 01 Slim Panels - Large Port Clear
 - 05 Slim Panels - Small Ports
 - 03 Multi Port
 - 06 XSP Panels
 - 01 8 Point Panel
 - 50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
 - 04 VAC-T Vac-T
 - 01 CB3 Panel and Wall Vent Carry Bag
 - 10 EC-125 1.25" Push to connect End Cap Plugs
- Box 4 Includes:**
 - 02 PL03 1.5" x 50' Uncut Blank Hose
 - 01 CB2 Rolling Duffel Bag
 - 30 HC3 1.5" Hose cuffs
 - 09 IM-125 Inline Manifolds
 - 02 SY-125 Small Y's
 - 04 HC-125 1.25" Hose Connectors
 - 01 HB300 Trunk mount Extraction Connector
 - 01 MW Main W (to be used with HB300)

IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty.

This area left blank intentionally.

HP SYSTEMS - ACCESSORIES

Active Hose Upgrade Kit

PART #	DESCRIPTION	STATUS	MSRP	QTY
AH-CWK-2A	Wall & Ceiling Active Hose Upgrade Kit for customers who own the FDP Kit and want to add capability to dry walls, ceilings and cabinets / Single Pkg	S	\$ 999	EA



- Includes:**
- 12 AH3 Activehoses®
 - 01 HP-TUB 3/8"ID x 1/2" OD x 200' YL Tubing
 - 02 SY-125 Small Y's
 - 50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
 - 50 TUB-CON 3/8" x 3/8" OD Tubing Connectors
 - 150 WI-BLK 3/16" OD Black Wall Injectors
 - 10 EC-125 1.25" Push to connect End Cap Plugs
 - 01 CB1 General Purpose Carry Bag
 - 24 HC3 1.5" Hose cuffs
 - 12 HC-125 1.25" Hose Connectors

Interceptor HEPA Filter

PART #	DESCRIPTION	STATUS	MSRP	QTY
INF01	Interceptor In-Line HEPA Filter System. Protect your HP system & job from spreading contaminants. / Single Pkg	S	\$ 499	EA



- Includes:**
- 01 Interceptor HEPA Housing
 - 01 RP-INT-FR1 HEPA Filter
 - 01 RP-INT-PF10 Pre-Filter
 - 01 RP-INT-AIH Air IN hose
 - 01 RP-INT-AOH Air OUT hose

Silencer

PART #	DESCRIPTION	STATUS	MSRP	QTY
SILENCER	The Silencer - for use with HP Systems to reduce sound decibels / Single Pkg.	S	\$ 115	EA



- Includes:**
- 01 Silencer

Water Separator

PART #	DESCRIPTION	STATUS	MSRP	QTY
WS	Water Separator for use with the HP system on negative (suction) to protect the unit from ingesting liquid through the unit. / Single Pkg.	S	\$ 199	EA




NOTE: You will still need to use a truck mount or portable to remove the bulk of the liquid prior to using the WS.

- Includes:**
- 01 WS Housing
 - 01 RP-WS-AOH Air IN hose

HP SYSTEMS - ACCESSORIES

Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
8-P-10	Vac-It Panel - The original 8 Point Panel 46" x 30" ABS plastic - (8) 3/8" extraction points per panel - sold in a 10 pack / Single Pkg.	S	\$ 599	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
DRMK-1	Replacement Dri-Eaz Mat Kit for DriForce 17" x 46" Panels. Now you can use Injctidry Panels with the Dri-Force / Single Pkg.	S	\$ 360	EA



- Includes:**
- 03 Slim Panels Large Port, Black ABS
 - 01 Slim Panels Large Port, Clear Poly
 - 02 VAC-T's
 - 06 1.5" Cuffs

PART #	DESCRIPTION	STATUS	MSRP	QTY
MP-2	Vac-It Panel - Set of 2 Multi-Port Panel 46" x 30" ABS plastic with gasket, Single 1 1/4" Large & Five 3/8" Small extraction Ports / Single Pkg.	S	\$ 225	EA



- Includes:**
- 02 Multi Port
 - 02 VAC-T Vac-T
 - 02 EC-125 1.25" Push to connect End Cap Plugs
 - 10 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

PART #	DESCRIPTION	STATUS	MSRP	QTY
MP-6	Vac-It Panel - Set of 6 Multi-Port Panel 46" x 30" ABS plastic with gasket - (1) Large (Vac-T) extraction port and (5) 3/8" extraction points per panel / Single Pkg.	S	\$ 618	EA



- Includes:**
- 06 Multi Port
 - 06 VAC-T Vac-T
 - 06 EC-125 1.25" Push to connect End Cap Plugs
 - 30 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps

PART #	DESCRIPTION	STATUS	MSRP	QTY
PUK	Vac-It Panel - Multi-Port U Shaped Panel Kit All panels are ABS plastic - Gasketed on the main panel ONLY - (1) Large (Vac-T) extraction port and (5) 3/8" extraction points	LS-DISC	\$ 144	EA



NOTE:
 Limited Stock on hand - when inventory runs out we will no longer restock - Call prior to placing PO.

- Includes:**
- 01 MP - U Panel -
 - 02 Single 3/8" Port Panel - 22.5" x 6.75"
 - 01 Single 3/8" Port Panel - 14" x 6"
 - 05 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
 - 01 EC-125 1.25" Push to connect End Cap Plugs
 - 01 VAC-T Vac-T

HP SYSTEMS - ACCESSORIES

Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-LPC-1	Vac-It Panel - Single Slim Large Port Clear Panels 17" x 46" Polycarbonate plastic with gasket -(1) Large (Vac-T) extraction port / Single Pkg.	S	\$ 140	EA



- Includes:**
- 01 Slim Panels - Large Port Clear
 - 01 VAC-T Vac-T

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-LPC-5	Vac-It Panel - Set of five Slim Large Port Clear Panels 17" x 46" Polycarbonate plastic with gasket -(1) Large (Vac-T) extraction port / Single Pkg.	S	\$ 540	EA



- Includes:**
- 05 Slim Panels - Large Port Clear
 - 05 VAC-T Vac-T

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-SP-9	Vac-It Panel - Set of nine Slim Panel Small Ports 17" x 46" ABS plastic with gasket - (5) 3/8" extraction points / Single Pkg.	S	\$ 699	EA



- Includes:**
- 09 Slim Panels - Small Ports
 - 20 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
 - 01 CB3 Panel Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
VP	Variety Panel Package / Single Pkg.	S	\$ 999	EA



- Includes:**
- 01 Slim Panels - Large Port Clear
 - 05 Slim Panels - Small Ports
 - 03 Multi Port
 - 06 XSP Panels
 - 01 8 Point Panel
 - 50 SM-NIP-CAP 3/8"ID Soft (Red) Nipple Caps
 - 04 VAC-T Vac-T
 - 01 CB3 Panel and Wall Vent Carry Bag
 - 10 EC-125 1.25" Push to connect End Cap Plugs

PART #	DESCRIPTION	STATUS	MSRP	QTY
XSP-10	Vac-It Panel - Extra Slim Small Point 7" x 30" ABS plastic - (1) 3/8" extraction point	S	\$ 196	EA



- Includes:**
- 10 XSP Panels

HP SYSTEMS - ACCESSORIES REPLACEMENT COMPONENTS

Interceptor HEPA Filter

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-INT-FR1	Replacement Interceptor HEPA Filter single HEPA filter with single pre-filter	S	\$ 188	EA



Interceptor Pre-Filter

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-INT-PF10	Replacement Interceptor Pre-Filter 10 pack of pre-filters	S	\$ 144	EA



Interceptor & Water Separator Hoses

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HSO-AI-INT-Air-In	Replacement 2" x 2' Grey Interceptor <u>Air In Hose section only</u> 2" FPT x Cuff	S	\$ 44	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HSO-INT-W/S	Replacement 2" x 2' Grey Interceptor <u>Air Out hose section only</u> MPT x Cuff for the Water Sparator and Interceptor HEPA.	S	\$ 44	EA



HP SYSTEMS - REPLACEMENT COMPONENTS

Hose Sections Only

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AIMH-FD-RHO	Replacement Air IN Main Hose for HP systems - <u>Hose Section Only</u> (hose cuffed end to mate with Water Separator)	S	\$ 54	EA



Part Listed Above is Compatible with

HP 60	HP PLUS	HP PLUS 240V
X	X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AIMH-WC-RHO	Replacement Air IN Main Hose for HP systems - <u>Hose Section Only</u> (female fitting on end to mate with Main W)	S	\$ 57	EA



Part Listed Above is Compatible with

HP 60	HP PLUS	HP PLUS 240V
X	X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AOMH-RHO	Replacement Air OUT Main Hose for HP60 system - <u>Hose Section Only</u> (female fitting on end to mate with Main W or Silencer)	S	\$ 84	EA



Part Listed Above is Compatible with

HP 60	HP PLUS	HP PLUS 240V
X	X	X

HP SYSTEMS - REPLACEMENT COMPONENTS

Hour Meter

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100200300-HR-UL	Replacement Hour Meter GEN 2 & 3: Hour Meter for all non-certified, ETL certified and/or UL certified HP 60, PLUS and HP-PLUS-240V units.	S	\$ 60	EA

Part Listed Above is Compatible with	HP 60	HP PLUS	HP PLUS 240V
	X	X	X

HP 60 - Completed Main Hoses

PART #	DESCRIPTION	STATUS	MSRP	QTY
AIMH-60-FD	HP 60 Floor Drying Package Air IN Main Hose: Includes QC fitting (mates to PTMA-PU fitting on unit) Inline Filter, 5' Grey hose with 2" hose cuff (mates to Water Separator port).	S	\$ 299	EA



Part Listed Above is Compatible with	HP 60
	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
AIMH-60-WC	HP60 Wall & Ceiling Package Air IN Main Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W.	S	\$ 338	EA



Part Listed Above is Compatible with	HP 60
	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
AOMH-60	HP 60 Air OUT Main Hose (mates with PTMA fitting on unit) with Main W or Silencer	S	\$ 437	EA



Part Listed Above is Compatible with	HP 60
	X

HP SYSTEMS - REPLACEMENT COMPONENTS

HP 60 - Lead Assembly for Main Hoses

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HP60-AILA	HP 60 Air IN Lead Assembly (ONLY) Replacement - QC fitting, Inline filter & factory set PRV - no hose section included.	S	\$ 266	EA



Part Listed Above is Compatible with	HP 60
	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HP60-AOLA	HP 60 Air OUT Lead Assembly (ONLY) Replacement - QC fitting & factory set PRV - no hose section included.	S	\$ 203	EA



Part Listed Above is Compatible with	HP 60
	X

HP SYSTEMS - REPLACEMENT COMPONENTS

HP 60 - Lead Assembly for Main Hoses

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-10C	BA125C - 1.25" x close nipple pipe replacement pipe fitting for the HP60 PRV10 and PRV20	S	\$ 20	EA



Part Listed Above is
Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-PRV-AI	Replacement Pressure Relief Valve - AIR IN (factory set brass fitting includes PVC 1.25" MPT x close).	S	\$ 113	EA



Part Listed Above is
Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-PRV-AO	Replacement Pressure Relief Valve - AIR OUT (factory set brass fitting includes PVC 1.25" MPT x close).	S	\$ 113	EA



Part Listed Above is
Compatible with

HP 60
X

HP SYSTEMS - REPLACEMENT COMPONENTS

HP 60 - Main Unit Quick Connect Fittings

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTFC-60	HP 60 Main Quick Connect fitting installed on the Air IN side of unit	S	\$ 51	EA



Part Listed Above is
Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTMA-60	HP 60 Main Quick Connect fitting installed on the Air OUT side of unit	S	\$ 51	EA





Part Listed Above is
Compatible with


HP 60
X


HP SYSTEMS - REPLACEMENT COMPONENTS


HP PLUS & HP PLUS 240V - Completed Main Hoses

PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-PU-FD	HP PLUS & HP-PLUS240V Floor Drying Package Air IN Main Hose: Includes QC fitting (mates to PTMA-PU fitting on unit) Inline Filter, 5' Grey hose with 2" hose cuff (mates to Water Separator port).	S	\$ 201	EA				
 <p>Part Listed Above is Compatible with</p> <table border="1"> <thead> <tr> <th>HP PLUS</th> <th>HP PLUS 240V</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> </tr> </tbody> </table>		HP PLUS	HP PLUS 240V	X	X			
HP PLUS	HP PLUS 240V							
X	X							

PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-CT-PU-FD	HP PLUS & HP-PLUS240V Floor Drying Package Air IN Main Hose: Includes QC fitting (mates to PTMA-PU fitting on unit) Inline Filter (clear top), 5' Grey hose with 2" hose cuff (mates to Water Separator port).	S	\$ 186	EA				
 <p>Part Listed Above is Compatible with</p> <table border="1"> <thead> <tr> <th>HP PLUS</th> <th>HP PLUS 240V</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> </tr> </tbody> </table>		HP PLUS	HP PLUS 240V	X	X	Approx. lbs	HS Tariff Code	
HP PLUS	HP PLUS 240V							
X	X							
		22	3917.10					

PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-PU-WC	HP PLUS & HP-PLUS240V Wall & Ceiling Package Air IN Main Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W	S	\$ 252	EA				
 <p>Part Listed Above is Compatible with</p> <table border="1"> <thead> <tr> <th>HP PLUS</th> <th>HP PLUS 240V</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> </tr> </tbody> </table>		HP PLUS	HP PLUS 240V	X	X			
HP PLUS	HP PLUS 240V							
X	X							

PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-CT-PU-WC	HP PLUS & HP-PLUS240V Wall & Ceiling Package Air IN Main Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Inline Filter (clear top) and 5' Grey hose with 2" FPT fitting on end to mate to Main W	S	\$ 206	EA				
 <p>Part Listed Above is Compatible with</p> <table border="1"> <thead> <tr> <th>HP PLUS</th> <th>HP PLUS 240V</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> </tr> </tbody> </table>		HP PLUS	HP PLUS 240V	X	X	Approx. lbs	HS Tariff Code	
HP PLUS	HP PLUS 240V							
X	X							
		22	3917.10					

PART #	DESCRIPTION	STATUS	MSRP	QTY				
AOMH-PU	HP-PLUS & HP-PLUS240V Air OUT Main Hose (mates with PTFC-PU fitting on unit) with Main W or Silencer.	S	\$ 130	EA				
 <p>Part Listed Above is Compatible with</p> <table border="1"> <thead> <tr> <th>HP PLUS</th> <th>HP PLUS 240V</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> </tr> </tbody> </table>		HP PLUS	HP PLUS 240V	X	X			
HP PLUS	HP PLUS 240V							
X	X							

HP SYSTEMS - REPLACEMENT COMPONENTS

HP PLUS & HP PLUS 240V - Lead Assembly Main Hoses

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-PLUS-AILA	HP-PLUS / HP-PLUS-240V Air IN Lead Assembly (ONLY) - QC fitting and Inline Filter - no hose section included.	S	\$ 173	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RTL-AIMH-LA	HP-PLUS / HP-PLUS-240V Air IN Lead Assembly (ONLY) - QC fitting and Inline Filter (clear top) - no hose section included	S	\$ 140	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

Approx. lbs	HS Tariff Code
15	8481.40

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-PLUS-AOLA	HP-PLUS /HP-PLUS-240V Air Out Lead Assembly (ONLY) -QC fitting - no hose section included.	S	\$ 30	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

HP PLUS & HP PLUS 240V - Main Unit Quick Connect Fittings

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTFC-PU	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting installed on the Air OUT side of unit	S	\$ 58	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTMA-PU	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting installed on the Air IN side of unit	S	\$ 49	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

HP SYSTEMS - REPLACEMENT COMPONENTS

Power Cords

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-MC12-3-D	Replacement Hardwire Power Supply Cord for GEN 1 & GEN 2 HP60 units: 12/3 - 25' (connection through the back of roto-mold)	S	\$ 63	EA



Part Listed Above is
Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-MC14-3	Replacement Disconnecting Power Supply Cord for GEN 3 non ETL & ETL Certified HP Units (gold ETL foil on serial plate): 14g /3 wire Molded L5-15R Plug - connects to the faceplate receptacle 25'	S	\$ 80	EA



Part Listed Above is
Compatible with

HP 60	HP PLUS
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-MC14-3-HW	Replacement Hard Wire Power Supply Cord for GEN 3 UL Certified units (silver foil on serial plate): 14/3 SJTW NA 105C YELLOW 20FT NEMA 5-15P CLEAR ILLUMNIATED PLUG – hardwired directly to face plate	S	\$ 67	EA



Part Listed Above is
Compatible with

HP 60	HP PLUS
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-PLUS240V-HW	GEN 3 Roto-mold: HP-PLUS-240V Attached Power Cord 10' 8/3 SOOW 50A Male Twist Lock for UL Certified units (Silver foil on serial plate)	S	\$ 199	EA

Part Listed Above is
Compatible with

HP PLUS 240V
X

Power Switches

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100-G2-3-PSB	GEN 3 Roto-mold: Replacement Power Switch Breaker for HP-60 Gen 3 Roto-mold (serial plates with Silver or Gold Foil)	S	\$ 57	EA



Part Listed Above is
Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-200-G1-PS-UL	GEN 3 Roto-mold: Replacement Power Switch for PLUS & HP-PLUS-240V Gen 3 Roto-mold (serial plates with Silver or Gold Foil)	S	\$ 23	EA



Part Listed Above is
Compatible with

HP PLUS	HP PLUS 240V
X	X

HP SYSTEMS - REPLACEMENT COMPONENTS

Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
AH3	Active Hoseline 6 ft hose. Each hose has 10 - 3/8" tubing ports. Each hose comes with 10 - 20" pieces of tubing with Wall Injector installed.	S	\$ 89	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
EC-125	1.25" Push to Connect End Cap for use with HP & Direct-It products sold in pack of 20	S	\$ 29	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
HB300	2" Barb x 2" FPT - Extraction Hose Barb mates with the Main W to allow drying lines to connect to truck mount or portable extactor hose.	S	\$ 27	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
HC-125	1.25" Push to Connect Hose Connector for use with HP products sold in pack of 10	S	\$ 41	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
HC2	2" Hose cuff sold each	S	\$ 18	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
HC3	HP Systems Hose cuff 1.5" works with PL03 hose sold in pack of 10.	S	\$ 34	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-TUB	3/8" ID x 1/2" OD x 200' Safety Yellow sold per roll	S	\$ 189	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
IM-125	1.25" Push to Connect Inline Manifold for use with HP products sold in pack of 5	S	\$ 61	EA



HP SYSTEMS - REPLACEMENT COMPONENTS

Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
MW	2" MPT x (3) 1.25" Main W for use with HP products sold each	S	\$ 40	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
NIP1505	1.5" x 5" threaded pipe for HP 60, HP PLUS and HP PLUS 240V. Installs on both the Air IN and OUT ports of system - 2 units per system. * Does not work with the Gen 1 clam shell style unit.	S	\$ 23	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
PL03	HP systems blank hoseline 1.5" x 50' sold each	S	\$ 148	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SM-NIP-CAP	3/8" ID Soft (Red) Nipple Caps for use with HP products sold in bag of 100	S	\$ 54	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
ST-125	1.25" Push to Connect Small T for use with HP products sold in pack of 3	S	\$ 40	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SY-125	1.25" Push to Connect Small Y for use with HP & Direct It products sold in pack of 3	S	\$ 36	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
TUB-CON	3/8" X 3/8" Push to Connect Tubing Connector for use with HP products sold in bag of 100	S	\$ 71	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
VAC-T	1.25" Push to Connect Vac-T for use with HP products sold each	S	\$ 31	EA



HP SYSTEMS - REPLACEMENT COMPONENTS

Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
WI-BLK	Wall Injectors for the HP systems 3/16" OD black in color sold in bag of 100	S	\$ 83	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WI-BLU	Wall Injectors for the HP systems 1/4" OD blue in color sold in bag of 100	S	\$ 90	EA



Velcro Power Cord Replacement Strap

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100200300-RVS-UL	Replacement Velcro Strap for Gen 3 Roto-molds (for the power cord)	S	\$ 35	EA

This area left blank intentionally.

IR PANELS

PART #	DESCRIPTION	STATUS	MSRP	QTY
IRP-400	IRP-400 ~ Infrared Panel for Floor and Wall Drying ~ 16" X 46" X 1", 120 Volts, 400 Watts, IR Panel set of 2 with 8 feet	S	\$ 1,199	EA



Box 1 Includes:
02 IR Panel
08 Feet



IR PANELS - REPLACEMENT COMPONENTS

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-IRP-Feet	IR Replacement Feet - pack of 4	S	\$ 56	EA



This area left blank intentionally.

ADAPTERS

Adaptidry Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-5	Adaptidry - 5 Port Dry up to 18 linear feet (as packaged) works with 12", 14", 16" & 18" duct ringed equipment such as air scrubbers and high pressure axial fans. A separate ring comes with the ADP-5 to adapt to new Phoenix Guardian.	S	\$ 699	EA



- Includes:**
- 01 ADP-5 Housing
 - 01 ADPRING Ring mates to new Phoenix Guardian
 - 01 WV1 1' Wall Vent
 - 05 WV2 2' Wall Vent
 - 16 DC-TK4 4" Turnkey Clamps
 - 22 2" Drywall Screws
 - 04 MA 4" x 25' sections of Mylar Ducting
 - 02 Y4 4" Tee
 - 01 CB1 General Purpose Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-9	Adaptidry - 9 Port Dry up to 27 linear feet (as packaged) works with 12", 14", 16" & 18" duct ringed equipment such as air scrubbers and high pressure axial fans. A separate ring comes with the ADP-9 to adapt to new Phoenix Guardian.	S	\$ 1,099	EA



- Box 1 Includes:**
- 01 ADP-9 Housing
 - 01 ADPRING Ring mates to new Phoenix Guardian
 - 21 DC-TK4 4" Turnkey Clamps
 - 22 2" Drywall Screws
- Box 2 Includes:**
- 01 WV1 1' Wall Vent
 - 09 WV2 2' Wall Vent
 - 01 WV4 4' Wall Vent
 - 06 MA 4" x 25' sections of Mylar Ducting
 - 02 Y4 4" Tee
 - 01 CB3 Panel and Wall Vent Carry Bag

Direct-It Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1	Universal Air mover Adapter - Direct-It IN Dry up to 22 linear feet (as packaged) works with most standard Air movers, (17) 1.25" ports direct air to 5/8" Wall Penetrators to help dry wall, ceiling cavities as well as underneath cabinetry.	S	\$ 587	EA



- Includes:**
- 01 Direct-It IN Housing
 - 17 WP2 5/8" Wall Penetrators
 - 17 HC1 1.25" Hose cuff
 - 10 EC-125 1.25" Push to connect End Cap Plugs
 - 03 PL05 1.25" x 50' Direct-It Hose
 - 01 CB1 General Purpose Carry Bag

ADAPTERS

Direct-It Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA2	Universal Air mover Adapter - Direct-It - Dry up to 22 linear feet (as packaged) works with high pressure axial fans and air scrubbers, (17) 1.25" ports direct air to 5/8" Wall Penetrators to help dry wall, ceiling cavities as well as underneath cabinetry.	S	\$ 519	EA



- Includes:**
- 01 Direct-It Housing
 - 17 WP2 5/8" Wall Penetrators
 - 17 HC1 1.25" Hose cuff
 - 10 EC-125 1.25" Push to connect End Cap Plugs
 - 03 PL05 1.25" x 50' Direct-It Hose
 - 01 CB1 General Purpose Carry Bag

Specialty Adapter Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
SA-5-2	SPECIALTY ADAPTER 5 PORT Dry up to 16 linear feet (as packaged) works with centrifugal air mover to dry walls, (5) 4" ports direct air to finished wood flooring and gymnasium flooring systems.	S	\$ 799	EA



- Box 1 Includes:**
- 01 SA-5 Housing
- Box 2 Includes:**
- 05 WV2 2' Wall Vent
 - 10 DC-TK4 4" Turnkey Clamps
 - 10 2" Drywall Screws
 - 05 M4 4" x 25' sections of Mylar Ducting
 - 01 CB1 General Purpose Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
SA-5-4	SPECIALTY ADAPTER 5 PORT Dry up to 31 linear feet (as packaged) works with centrifugal air mover to dry walls, (5) 4" ports direct air to finished wood flooring and gymnasium flooring systems.	S	\$ 899	EA



- Box 1 Includes:**
- 01 SA-5 Housing
- Box 2 Includes:**
- 05 WV4 4' Wall Vent
 - 10 DC-TK4 4" Turnkey Clamps
 - 10 2" Drywall Screws
 - 05 M4 4" x 25' sections of Mylar Ducting
 - 01 CB3 Panel and Wall Vent Carry Bag

This area left blank intentionally.

ADAPTER REPLACEMENT COMPONENTS

PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-5-AO	5 PORT ADAPTIDRY <u>Adapter Only</u>	S	\$ 170	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-9-AO	9 PORT ADAPTIDRY <u>Adapter Only</u>	S	\$ 199	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
ADPRING	Collar allows Direct-It, ADP5 or ADP9 to attach to NEW style Phoenix Guardian	S	\$ 50	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
DC-TK4	Turn Key Clamps sold in bag of 20	S	\$ 89	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
HC1	Direct It Product Hose cuffs 1.25" works with PL05 hose sold in pack of 10.	S	\$ 32	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
PL05	Direct-It Hoseline 1.25" x 50' roll case of 3	S	\$ 159	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SA-5-AO	SPECIALTY ADAPTER 5 PORT <u>Adapter Only</u>	S	\$ 299	EA



ADAPTER REPLACEMENT COMPONENTS

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1-AO	Direct-It IN <u>Adapter Only</u>	S	\$ 295	EA




PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA2-AO	Direct-It <u>Adapter Only</u>	S	\$ 295	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WP2	5/8" OD Wall Penetrators black sold in bag of 17	S	\$ 59	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WV1	1' Wall Vent for Adaptidry & Specialty Adapter products sold each	S	\$ 69	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WV2	2' Wall Vent for Adaptidry & Specialty Adapter products sold each	S	\$ 79	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WV4	4' Wall Vent for Adaptidry & Specialty Adapter products sold each	S	\$ 99	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
Y4	4" Y for Adaptidry & Specialty Adapter products sold each	S	\$ 30	EA



CARRY BAGS

PART #	DESCRIPTION	STATUS	MSRP	QTY
CB1	General Purpose Carry Bag 42" x 36"	S	\$ 49	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
CB2	Rolling Duffel Bag 38" x 16" x 16"	S	\$ 169	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
CB3	Panel and Wall Vent Carry Bag 51" x 32"	S	\$ 89	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
CB4	Drawstring Small Parts Bag 31" x 17"	S	\$ 29	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
CB5	Admin Pouch 2.5" x 6" x 0.67"	S	\$ 24	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
CB6	Small Parts Pouch 6" x 10" x 2"	S	\$ 30	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
CB-7	IR Panel Bag - holds two IR panels	S	\$ 89	EA



This area left blank intentionally.

DUCTING						
PART #	DESCRIPTION	STATUS	MSRP		QTY	
M4	Mylar - 4" x 25' Rated to 160 degrees case of 4 = 100 FT	S	\$ 80		EA	
FLEX6	Mylar - 6" x 25' Rated to 160 degrees case of 8 = 200 FT	S	\$ 120		EA	
FLEX8	Mylar - 8" x 25' Rated to 160 degrees case of 8 = 200 FT	S	\$ 139		EA	
FLEX10	Mylar - 10" x 25' Rated to 160 degrees case of 4 = 100 FT	S	\$ 79		EA	
FLEX12	Mylar - 12" x 25' Rated to 160 degrees case of 4 = 100 FT	S	\$ 89		EA	
FLEX14	Mylar - 14" x 25' Rated to 160 degrees case of 4 = 100 FT	S	\$ 119		EA	
FLEX16	Mylar - 16" x 25' Rated to 160 degrees case of 4 = 100 FT	S	\$ 149		EA	
FLEX18	Mylar - 18" x 25' Rated to 160 degrees case of 4 = 100 FT	S	\$ 179		EA	
FLEX22	Mylar - 22" x 25' Rated to 160 degrees case of 4 = 100 FT	S	\$ 199		EA	

This area left blank intentionally.

ELECTRICAL

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

D1 **3 Wire Dryer** 2 ft - 30A/50A twist lock & 115V grounding plug
(rubber jacket cord)

S \$ **299**

EA



HS Tariff Code
8535.90

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

R1 **3 Wire Range** 2 ft - 50A/50A twist lock & 115V grounding plug
(rubber jacket cord)

S \$ **319**

EA



HS Tariff Code
8535.90

This area left blank intentionally.

GANN - COMPACT METERS

PART #	DESCRIPTION	STATUS	MSRP	QTY
G2020	Hydromette - Compact A Use to measure finished hardwood flooring materials. Digital readout, separate settings for different species of wood, no separate electrodes or cables required. Measures materials up to 1.57" thick. Readings are in % of moisture content.	S	\$ 599	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G2030	Hydromette - Compact B Use to measure wall, ceiling and floor materials such as drywall, lumber & plaster. Digital readout, no separate electrodes or cables required. Measures materials up to 1.57" thick. Readings are on scale of 0-100.	S	\$ 229	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G12032	Hydromette - Blue Compact B2 Use to measure wall, ceiling & floor materials. 3-line LCD digital readout, no separate electrodes or cables required. Measures materials up to 1.57" thick. "Max" & "hold" functions, audible alarm function, & temperature features. Readings are on scale of 0-200.	S	\$ 449	EA



This area left blank intentionally.

GANN - ADVANCED METERS

PART #	DESCRIPTION	STATUS	MSRP	QTY
G1550	UNI - 2 Base Only The UNI 2 is an electronic & universal triple measuring instrument. A large range of GANN (active) electrodes can be connected with this device. Structural moisture, air humidity & temperature can be measured. See the UNI2 accessories section for all options. Readings are on scale of 0-200 and or in % of moisture content depending on accessory used.	S	\$ 569	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G1670	RTU-600 Base Only Electronic four functions in one meter for measuring wood moisture, structural moisture, air humidity & temperature with digital LCD readout, adjustable temp compensation for wood temp between 14- 176°F. Precise correction ability for all wood species. Connects to B 50, B 60, MB 35, RH-T37 & all accessories. B 50 & 60 read accurately down 4.75". Readings are on scale of 0-200 and or in % of moisture content depending on accessory used.	S	\$ 1,099	EA












PART #	DESCRIPTION	STATUS	MSRP	QTY
G1400	M 4050 Base Only Measures moisture content of building materials like the RTU 600, but also stores data, interfaces with a PC, memorized calibration curves for 250 species of wood. Approved by the FMPA testing institute for use in licensed bonded-wood industry. Same automatic temperature compensation. Connects to all accessories. Readings are on scale of 0-200 and or in % of moisture content depending on accessory used.	SO	\$ 1,799	EA



This area left blank intentionally.

GANN - ADVANCED METER ACCESSORIES

PART #	DESCRIPTION	STATUS	MSRP	QTY
G3155	Active Electrode RF-T 28 High speed testing of air temperature and humidity, complete with connecting cable for the RTU 600 & M 4050. Measuring range of 7-98% RH & 14 - 176°F.	S	\$ 344	EA
				
G3300	Drive-in Electrode M 20 for measurement of timber up to 2" thick. Body is impact resistant plastic. Included are 10 spare pins 0.6" and 0.9".	S	\$ 99	EA
				
G3500	Ram-in Electrode M 18 for measurement in timber to the depth of about 7.1". Included are 10 spare pins 1.57" & 2.4". High quality stainless steel & built to last.	S	\$ 249	EA
				
G3700	Pair of stick-in electrodes M 6 Includes 10 spare pins ea. of 40 mm and 60 mm (to be used with contact paste only).	S	\$ 109	EA
				
G3703	Pair of flat electrodes M 6-Bi 300mm (12") for measuring moisture in books, documents, joints between floors and walls. Suitable for use with stick-in electrodes M 6 only.	S	\$ 169	EA
				
G3707	Non-insulated extra thin electrode pins for testing the moisture content in building and or intersecting tile joints. Use with M 6 and M 20. Pair of 250mm (9.84").	S	\$ 149	EA
				
G3740	Pair of brush electrodes M 25 for measuring moisture in concrete without the need of contact paste. This is a great and quick answer to how much moisture is in concrete. For use with MK-R cables	S	\$ 139	EA
				
G3750	B 50 Active Electrode Active electrode designed for non-destructive detection of moisture concentration in building materials & moisture distribution in walls, ceilings & floors. Uses a high frequency field with a penetrating depth up to 4.75" accurately. For use with the RTU-600 & M4050.	S	\$ 399	EA
				
G3760	B 60 Active Electrode Active electrode designed for non-destructive detection of moisture concentration in building materials and moisture distribution in walls, ceilings and floors. Uses a high frequency field with a penetrating depth up to 4.75" accurately. For use with the RTU-600 & M 4050. Selector for setting an audible value between 20 & 140 with acoustic signal generator.	S	\$ 495	EA
				

GANN - ADVANCED METER ACCESSORIES

PART #	DESCRIPTION	STATUS	MSRP	QTY
G3770	MB 35 Active electrode with integrated measuring circuit, designed for surface measurement on concrete. Measuring range: 2-8% of dry weight. Direct display. No conversion table required	S	\$ 499	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4310	Set of cap nuts M20-DS 16 for use with thinner pins (1.6 mm) with drive in electrode M 20 consisting of 2 cap nuts & 50 pins.	S	\$ 79	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4500	Package of 10 Teflon insulated pins 60mm (2.4") for use with the ram in electrode M18 accessorized with the RTU 600 & M 4050.	S	\$ 99	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4550	Package of 10 Teflon insulated pins 45mm (1.77") long for use with ram in electrode M 18.	S	\$ 99	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4610	Package of 100 non-insulated pins 16mm (0.6") for use with electrodes M 20.	S	\$ 59	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4620	Package of 100 non-insulated pins 23mm (0.9") for use with electrodes M 20.	S	\$ 59	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4640	Package of 100 non-insulated pins 40mm (1.6") for use with electrodes M 6 & M 18.	S	\$ 59	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4660	Package of 100 non-insulated pins 60mm (2.4") for use with electrodes M 6, & M 18.	S	\$ 59	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G5061	Carrying Case V for M-4050 & RTU-600 Carrying case for the Uni 2, RTU-600 and M 4050. Foam insert allows for secure storage and transport for many electrodes. Dimensions 18" x 15" x 4"	S	\$ 99	EA



GANN - ADVANCED METER ACCESSORIES

PART #	DESCRIPTION	STATUS	MSRP	QTY
G5400	Contact paste Use for testing hard building materials (flooring, concrete) in conjunction with electrodes M 6 and M 21.	SO	\$ 75	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
G6210	Measuring Cable MK 8 standard cable for all meters and electrodes designed for resistance moisture measurement. Used with M 6, M 18, M 20 & M 25	S	\$ 79	EA



This area left blank intentionally.

PROTECT-IT

PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75" Polyethylene sold in case of 10 each	S	\$ 569	1 (10)



PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT-100	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75" Polyethylene sold by the pallet - 100 units	S	\$ 5,429	1 plt



This area left blank intentionally.