

OUR CONTACT INFORMATION

Office Phone:

425.822.3851
800.257.0797

Customer Service / Technical Support:

ext 120
felicia@injectidry.com

Shipping & Receiving:

shipping@injectidry.com

Repairs / Returns:

ext 117
repairs@injectidry.com

Office Hours:

7AM - 3:30PM Monday - Friday - Pacific

SECTION	PAGES
HP 60 SYSTEMS	2 - 4
• Base Unit Only (with Main Hoses)	2
• Wall & Ceiling Package	3
• Floor Drying Package	4
HP PLUS SYSTEM	5 - 7
• Base Unit Only (with Main Hoses)	5
• Wall & Ceiling Package	6
• Floor Drying Package	7
HP PLUS 240V SYSTEM	8 - 10
• Base Unit Only (with Main Hoses)	8
• Wall & Ceiling Package	9
• Floor Drying Package	10
HP SYSTEMS - ACCESSORIES	11 - 14
• Active Hose Upgrade Kit	11
• Interceptor HEPA Filter	11
• Silencer	12
• Water Separator	12
• Vac-It Panels	12 - 14
HP SYSTEMS - REPLACEMENT COMPONENTS	15 - 24
• Air IN Main Hoses Complete	15
• Air IN Main Hoses Sub Components	16 - 17
• Air OUT Main Hoses Complete	17
• Air OUT Main Hoses Sub Components	17 - 18
• Electrical Components	18 - 19
• Interceptor HEPA Filter Replacement Parts	19
• Power Supply Cords	19 - 20
• HP Systems Products - Small Parts	21 - 23
• HP Systems Main Hose Quick Connect Fittings	23 - 24
• Velcro Power Cord Replacement Strap	24
IR PANELS	24 - 25
• IR Panels	24
• IR Panels Replacement Parts	25
ADAPTER PRODUCT	25 - 29
• Adaptidry Products	25
• Direct-It Products	26
• SA-5 Products	27

SECTION	PAGES
ADAPTER PRODUCT	25 - 29
• Adapter Products - Replacement Parts	28 - 29
CARRY BAGS	30
DUCTING	31 - 32
GANN PRODUCTS	33 - 37
• Compact Meters	33
• Advanced Meters	34
• Advanced Meters Accessories	35 - 37
PROTECT-IT	38

HP 60 SYSTEMS

Base Unit Only (with Main Hoses)

PART No.	DESCRIPTION	STATUS	MSRP	QTY
HP-60-BO	HP 60 System configured in Base System Only Kit / Requires 15A-115V / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 3,106	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
HP60-GEN3-BX1-STD	01	01			HP 60 System
BO-HP60-BX2	02	01	AIMH-60-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-60	18	Main Air OUT Hose

This area left blank intentionally.

HP 60 SYSTEMS

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-60-01	HP 60 System configured in Wall & Ceiling Kit / Requires 15A-115V / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 4,654	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
HP60-GEN3-BX1-STD	01	01			HP 60 System
01-HP60-BX2-STD	02	01	AIMH-60-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-60	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	12	AH3	21	Activehoses®
	02	24	HC3	22	1.5" Hose cuffs
	02	14	HC-125	22	Hose Connectors
	02	01	CB1	32	General Purpose Carry Bag
	02	01	CB2	32	Rolling Duffel Bag
01-AF-BX3-STD	03	01	PL03	23	1.5" x 25' Uncut Blank Hose
	03	02	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
	03	02	IM-125	22	Inline Manifolds
	03	08	HC3	22	1.5" Hose cuffs
	03	150	WI-BLK	24	3/16" OD Black Wall Injectors
	03	50	SM -NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	50	TUB-CON	23	3/8" x 3/8" OD Tubing Connectors
	03	04	EC-125	22	1.25" Push to connect End Cap Plugs
03	02	SY-125	23	Small Y's	

This area left blank intentionally.

HP 60 SYSTEMS

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-60-FDP	HP 60 System configured in Floor Drying Kit / Requires 15A-115V / Multiple Package Item: 04	S	\$ 4,473	EA



IMPORTANT WARNING:
 When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. (COMES WITH THIS PACKAGE)

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
HP60-GEN3-BX1-STD	01	01			HP 60 System
FDP-HP60-BX2-STD	02	01	AIMH-60-FD	16	Main Air IN Hose w/ 2" Cuff
	02	01	AOMH-60	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	01	WS	13	Water Separator
	02	01	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
VP	03	01			Slim Panel - Large Port Clear
	03	05			Slim Panel - Small Ports
	03	03			Multi-Port Panel
	03	06			XSP Panel
	03	01			8 Point panel
	03	50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	04	VAC-T	24	Vac-T
	03	01	CB3	32	Panel and Wall Vent Carry Bag
	03	10	EC-125	22	1.25" Push to connect End Cap Plugs
FDP-AF-BX4-STD	04	02	PL03	23	1.5" x 50' Uncut Blank Hose
	04	01	CB2	32	Rolling Duffel Bag
	04	30	HC3	22	1.5" Hose cuffs
	04	09	IM-125	22	Inline Manifolds
	04	02	SY-125	23	Small Y's
	04	04	HC-125	22	1.25" Hose Connectors
	04	01	HB300	22	Truck mount Extraction Connector
	04	01	MW	23	Main W (to be used with HB300)

This area left blank intentionally.

HP PLUS SYSTEMS

Base Unit Only (with Main Hoses)

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-BO	HP PLUS System with VFD technology configured in Base System Only Kit / Requires 15A-115V / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 3,306	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS-GEN3-BX1-STD	01	01			HP PLUS System
BO-PLUSFAM-BX2-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose

This area left blank intentionally.

HP PLUS SYSTEMS

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-01	HP PLUS System with VFD technology configured in Wall & Ceiling Kit / Requires 15A-115V / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 4,985	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS-GEN3-BX1-STD	01	01			HP PLUS System
01-PLUSFAM-BX2-STD-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	12	AH3	21	Activehoses [®]
	02	24	HC3	22	1.5" Hose cuffs
	02	14	HC-125	22	Hose Connectors
	02	01	CB1	32	General Purpose Carry Bag
	02	01	CB2	32	Rolling Duffel Bag
01-AF-BX3-STD	03	01	PL03	23	1.5" x 25' Uncut Blank Hose
	03	02	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
	03	02	IM-125	22	Inline Manifolds
	03	08	HC3	22	1.5" Hose cuffs
	03	150	WI-BLK	24	3/16" OD Black Wall Injectors
	03	50	SM -NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	50	TUB-CON	23	3/8" x 3/8" OD Tubing Connectors
	03	04	EC-125	22	1.25" Push to connect End Cap Plugs
	03	02	SY-125	23	Small Y's

This area left blank intentionally.

HP PLUS SYSTEM

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-FDP	HP PLUS System with VFD technology configured in Floor Drying Kit / Requires 15A-115V / Multiple Package Item: 04	S	\$ 4,855	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. (COMES WITH THIS PACKAGE)

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS-GEN3-BX1-STD	01	01			HP PLUS System
FDP-PLUSFAM-BX2-STD	02	01	AIMH-PU-FD	16	Main Air IN Hose w/ 2" Cuff
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	01	WS	13	Water Separator
	02	01	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
VP	03	01			Slim Panel - Large Port Clear
	03	05			Slim Panel - Small Ports
	03	03			Multi-Port Panel
	03	06			XSP Panel
	03	01			8 Point panel
	03	50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	04	VAC-T	24	Vac-T
	03	01	CB3	32	Panel and Wall Vent Carry Bag
	03	10	EC-125	22	1.25" Push to connect End Cap Plugs
FDP-AF-BX4-STD	04	02	PL03	23	1.5" x 50' Uncut Blank Hose
	04	01	CB2	32	Rolling Duffel Bag
	04	30	HC3	22	1.5" Hose cuffs
	04	09	IM-125	22	Inline Manifolds
	04	02	SY-125	23	Small Y's
	04	04	HC-125	22	1.25" Hose Connectors
	04	01	HB300	22	Truck mount Extraction Connector
	04	01	MW	23	Main W (to be used with HB300)

This area left blank intentionally.

HP PLUS 240V SYSTEM

Base Unit Only (with Main Hoses)

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-BO	HP-PLUS-240V System with VFD Technology configured in Base System Only Kit / 230V - 20A circuit required / Includes Main Unit, Main Air IN & OUT Hoses / Multiple Package Item: 02	S	\$ 3,558	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS240V-GEN3-BX1-STD	01	01			HP PLUS-240V System
BO-PLUSFAM-BX2-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose

This area left blank intentionally.

HP PLUS 240V SYSTEM

Wall & Ceiling Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-01	HP-PLUS-240V System with VFD Technology configured in Wall & Ceiling Drying Kit / 230V - 20A circuit required / Drying capacity of 100 LFT as packaged / Multiple Package Item: 03	S	\$ 5,237	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. Found on Page

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS240V-GEN3-BX1-STD	01	01			HP PLUS-240V System
01-PLUSFAM-BX2-STD-RV	02	01	AIMH-PU-WC	16	Main Air IN Hose w/ Main W
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	12	AH3	21	Activehoses®
	02	24	HC3	22	1.5" Hose cuffs
	02	14	HC-125	22	Hose Connectors
	02	01	CB1	32	General Purpose Carry Bag
	02	01	CB2	32	Rolling Duffel Bag
01-AF-BX3-STD	03	01	PL03	23	1.5" x 25' Uncut Blank Hose
	03	02	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
	03	02	IM-125	22	Inline Manifolds
	03	08	HC3	22	1.5" Hose cuffs
	03	150	WI-BLK	24	3/16" OD Black Wall Injectors
	03	50	SM -NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	50	TUB-CON	23	3/8" x 3/8" OD Tubing Connectors
	03	04	EC-125	22	1.25" Push to connect End Cap Plugs
	03	02	SY-125	23	Small Y's

This area left blank intentionally.

HP PLUS 240V SYSTEM

Floor Drying Package

PART #	DESCRIPTION	STATUS	MSRP	QTY
HP-PLUS-240V-FDP	HP-PLUS-240V System with VFD Technology configured in Floor Drying Kit / 230V - 20A circuit required / Multiple Package Item: 04	S	\$ 5,107	EA



IMPORTANT WARNING:

When drying in negative or vacuum pressure mode: use of the Water Separator will help protect your HP unit from inadvertently ingesting bulk liquid which will void the warranty. (COMES WITH THIS PACKAGE)

REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
PLUS240V-GEN3-BX1-STD	01	01			HP PLUS-240V System
FDP-PLUSFAM-BX2-STD	02	01	AIMH-PU-FD	16	Main Air IN Hose w/ 2" Cuff
	02	01	AOMH-PU	18	Main Air OUT Hose
	02	01	SILENCER	13	HP Silencer
	02	01	WS	13	Water Separator
	02	01	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
VP	03	01			Slim Panel - Large Port Clear
	03	05			Slim Panel - Small Ports
	03	03			Multi-Port Panel
	03	06			XSP Panel
	03	01			8 Point panel
	03	50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
	03	04	VAC-T	24	Vac-T
	03	01	CB3	32	Panel and Wall Vent Carry Bag
	03	10	EC-125	22	1.25" Push to connect End Cap Plugs
FDP-AF-BX4-STD	04	02	PL03	23	1.5" x 50' Uncut Blank Hose
	04	01	CB2	32	Rolling Duffel Bag
	04	30	HC3	22	1.5" Hose cuffs
	04	09	IM-125	22	Inline Manifolds
	04	02	SY-125	23	Small Y's
	04	04	HC-125	22	1.25" Hose Connectors
	04	01	HB300	22	Truck mount Extraction Connector
	04	01	MW	23	Main W (to be used with HB300)

This area left blank intentionally.

HP SYSTEMS - ACCESSORIES

Active Hose Upgrade Kit

PART #	DESCRIPTION	STATUS	MSRP	QTY
AH-CWK-2A	Wall & Ceiling Active Hose Upgrade Kit for customers who own the FDP Kit and want to add capability to dry walls, ceilings and cabinets / Single Pkg	S	\$ 886	EA




QTY	PART #	PG	DESCRIPTION
12	AH3	21	Activehoses ®
01	HP-TUB	22	3/8"ID x 1/2" OD x 200' YL Tubing
02	SY-125	23	Small Y's
50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
50	TUB-CON	23	3/8" x 3/8" OD Tubing Connectors
150	WI-BLK	24	3/16" OD Black Wall Injectors
10	EC-125	22	1.25" Push to connect End Cap Plugs
01	CB1	32	General Purpose Carry Bag
24	HC3	22	1.5" Hose cuffs
12	HC-125	22	1.25" Hose Connectors

Interceptor HEPA Filter

PART #	DESCRIPTION	STATUS	MSRP	QTY
INF01	Interceptor In-Line HEPA Filter System. Protect your HP system & job from spreading contaminants. / Single Pkg	S	\$ 535	EA



QTY	EX	PART #	PG	DESCRIPTION
01				Interceptor HEPA Housing
01	A	RP-INT-FR1	20	HEPA Filter
01	B	RP-INT-PF10	20	Pre-Filter
01	C	RP-HSO-INT	16	Air IN hose
01	D	RP-HSO-INT-WS	18	Air OUT hose



HP SYSTEMS - ACCESSORIES

Silencer

PART #	DESCRIPTION	STATUS	MSRP	QTY
SILENCER	The Silencer - for use with HP Systems to reduce sound decibels / Single Pkg	S	\$ 117	EA



QTY	PART #	PG	DESCRIPTION
01			HP Silencer

Water Separator

PART #	DESCRIPTION	STATUS	MSRP	QTY
WS	Water Separator for use with the HP system on negative (suction) to protect the unit from ingesting liquid through the unit. / Single Pkg.	S	\$ 261	EA



NOTE: You will still need to use a truck mount or portable to remove the bulk of the liquid prior to using the WS.

QTY	PART #	PG	DESCRIPTION
01			Water Separator Housing
01	RP-HSO-INT-WS	18	Air IN hose

Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
8-P-10	Vac-It Panel - The original 8 Point Panel 46" x 30" ABS plastic - (8) 3/8" extraction points per panel - sold in a 10 pack / Single Pkg.	S	\$ 626	EA



QTY	PART #	PG	DESCRIPTION
10			8 Point Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
DRMK-1	Replacement Dri-Eaz Mat Kit for DriForce 17" x 46" Panels. Now you can use Injectidry Panels with the Dri-Force / Single Pkg.	S	\$ 367	EA



QTY	PART #	PG	DESCRIPTION
03			Slim Panels Large Port, Black ABS
01			Slim Panels Large Port, Clear Poly
02	VAC-T	24	Vac-T
06	HC3	22	1.5" Hose cuffs

This area left blank intentionally.

HP SYSTEMS - ACCESSORIES

Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
MP-6	Vac-It Panel - Set of 6 Multi-Port Panel 46" x 30" ABS plastic with gasket - (1) Large (Vac-T) extraction port and (5) 3/8" extraction points per panel / Single Pkg.	S	\$ 740	EA



QTY	PART #	PG	DESCRIPTION
06			Multi-Port Panels
06	VAC-T	24	Vac-T
06	EC-125	22	1.25" Push to connect End Cap Plugs
30	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps

PART #	DESCRIPTION	STATUS	MSRP	QTY
PUK	Vac-It Panel - Multi-Port U Shaped Panel Kit constructed out of ABS plastic - gasketed on the main panel ONLY - (1) Large (Vac-T) extraction port and (5) 3/8" extraction points / Single Pkg.	LS-DISC	\$ 133	EA



QTY	PART #	PG	DESCRIPTION
01			Multi Port U Panel
02			Single Small Port (3/8") - 22.5" x 6.75"
01			Single Small Port (3/8") - 14" x 6"
05	SM-NIP-CAP	23	3/8" ID Soft (Red) Nipple Caps
01	EC-125	23	1.25" Push to Connect End Cap Plugs
01	VAC-T	24	Vac T

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-LPC-1	Vac-It Panel - Single Slim Large Port Clear Panels 17" x 46" Polycarbonate plastic with gasket -(1) Large (Vac-T) extraction port / Single Pkg.	S	\$ 151	EA



QTY	PART #	PG	DESCRIPTION
01			Slim Panels - Large Port Clear
01	VAC-T	24	Vac-T

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-LPC-5	Vac-It Panel - Set of five Slim Large Port Clear Panels 17" x 46" Polycarbonate plastic with gasket -(1) Large (Vac-T) extraction port / Single Pkg.	S	\$ 592	EA



QTY	PART #	PG	DESCRIPTION
05			Slim Panels - Large Port Clear
05	VAC-T	24	Vac-T

HP SYSTEMS - ACCESSORIES

Vac-It Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
SP-SP-9	Vac-It Panel - Set of nine Slim Panel Small Ports 17" x 46" ABS plastic with gasket - (5) 3/8" extraction points / Single Pkg.	S	\$ 816	EA



QTY	PART #	PG	DESCRIPTION
09			Slim Panels - Small Ports
20	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
01	CB3	32	Panel and Wall Vent Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
VP	Variety Panel Package / Single Pkg.	S	\$ 1,117	EA



QTY	PART #	PG	DESCRIPTION
01			Slim Panels - Large Port Clear
05			Slim Panels - Small Ports
03			Multi Port
06			XSP Panels
01			8 Point Panel
50	SM-NIP-CAP	23	3/8"ID Soft (Red) Nipple Caps
04	VAC-T	24	Vac-T
01	CB3	32	Panel and Wall Vent Carry Bag
10	EC-125	22	1.25" Push to connect End Cap Plugs


PART #	DESCRIPTION	STATUS	MSRP	QTY
XSP-10	Vac-It Panel - Extra Slim Small Point 7" x 30" ABS plastic - (1) 3/8" extraction point	S	\$ 194	EA





QTY	PART #	PG	DESCRIPTION
10			XSP Panels


HP SYSTEMS - ACCESSORIES


Air IN Main Hoses Complete

PART #	DESCRIPTION	STATUS	MSRP	QTY		
AIMH-60-FD	HP 60 Floor Drying Package Air IN Main Hose: Includes QC fitting (mates to PTMA-PU fitting on unit) Inline Filter, 5' Grey hose with 2" hose cuff (mates to Water Separator port).	S	\$ 309	EA		
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP 60</td> </tr> <tr> <td>X</td> </tr> </table>			HP 60	X
HP 60						
X						

PART #	DESCRIPTION	STATUS	MSRP	QTY		
AIMH-60-WC	HP60 Wall & Ceiling Package Air IN Main Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W.	S	\$ 344	EA		
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP 60</td> </tr> <tr> <td>X</td> </tr> </table>			HP 60	X
HP 60						
X						


PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-PU-FD-RV	HP PLUS & HP-PLUS240V Floor Drying Package Air IN Main Hose: Includes QC fitting (mates to PTMA-PU fitting on unit) Clear Top Inline Filter, 5' Grey hose with 2" hose cuff (mates to Water Separator port)	S	\$ 192	EA				
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP PLUS</td> <td>HP PLUS 240V</td> </tr> <tr> <td>X</td> <td>X</td> </tr> </table>			HP PLUS	HP PLUS 240V	X	X
HP PLUS	HP PLUS 240V							
X	X							


PART #	DESCRIPTION	STATUS	MSRP	QTY				
AIMH-PU-WC-RV	HP PLUS & HP-PLUS240V Wall & Ceiling Package Air IN Main Hose: Includes QC fitting (mates to the PTMA-PU fitting on unit) Clear Top Inline Filter and 5' Grey hose with 2" FPT fitting on end to mate to Main W	S	\$ 208	EA				
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>HP PLUS</td> <td>HP PLUS 240V</td> </tr> <tr> <td>X</td> <td>X</td> </tr> </table>			HP PLUS	HP PLUS 240V	X	X
HP PLUS	HP PLUS 240V							
X	X							


PART #	DESCRIPTION	STATUS	MSRP	QTY		
RP-HSO-INT	Replacement 2" x 2' Grey Interceptor Air IN Hose section only 2" FPT x Cuff for the Interceptor HEPA.	S	\$ 43	EA		
	Part Listed Above is Compatible with	<table border="1"> <tr> <td>Interceptor HEPA</td> </tr> <tr> <td>X</td> </tr> </table>			Interceptor HEPA	X
Interceptor HEPA						
X						


HP SYSTEMS - REPLACEMENT COMPONENTS


Air IN Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AIMH-FD-RHO	Replacement Air IN Main Hose for HP systems - Hose Section Only (hose cuffed end to mate with Water Separator)	S	\$ 41	EA
	Part Listed Above is Compatible with	HP 60 X	HP PLUS X	HP PLUS 240V X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AIMH-WC-RHO	Replacement Air IN Main Hose for HP systems - Hose Section Only (female fitting on end to mate with Main W)	S	\$ 52	EA
	Part Listed Above is Compatible with	HP 60 X	HP PLUS X	HP PLUS 240V X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HP60-AILA	HP 60 Air IN Lead Assembly (ONLY) Replacement - QC fitting, Inline filter & factory set PRV - no hose section included.	S	\$ 264	EA
	Part Listed Above is Compatible with	HP 60 X		

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-PLUS-AILA-RV	HP-PLUS / HP-PLUS-240V Air IN Lead Assembly (ONLY) - QC fitting and Inline Filter - no hose section included	S	\$ 142	EA
	Part Listed Above is Compatible with	HP PLUS X	HP PLUS 240V X	

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-10C	1.25" x close nipple pipe replacement pipe fitting for the HP60 PRV10 and PRV20	S	\$ 21	EA
	Part Listed Above is Compatible with	HP 60 X		

HP SYSTEMS - REPLACEMENT COMPONENTS

Air IN Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-PRV-AI	Replacement Pressure Relief Valve - AIR IN (factory set brass fitting includes PVC 1.25" MPT x close)	S	\$ 114	EA



Part Listed Above is Compatible with

HP 60
X

Air OUT Main Hoses Complete

PART #	DESCRIPTION	STATUS	MSRP	QTY
AOMH-60	HP 60 Air OUT Main Hose (mates with PTMA fitting on unit) with Main W or Silencer	S	\$ 473	EA



Part Listed Above is Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
AOMH-PU	HP-PLUS & HP-PLUS240V Air OUT Main Hose (mates with PTFC-PU fitting on unit) with Main W or Silencer	S	\$ 129	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HSO-INT-WS	Replacement 2" x 2' Grey Interceptor Air Out hose section only MPT x Cuff for the Water Sparator and Interceptor HEPA.	S	\$ 48	EA



Part Listed Above is Compatible with

Water Separator	Interceptor HEPA
X	X

Air OUT Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-AOMH-RHO	Replacement Air OUT Main Hose for HP60 system - <u>Hose Section Only</u> (female fitting on end to mate with Main W or Silencer)	S	\$ 76	EA



Part Listed Above is Compatible with

HP 60	HP PLUS	HP PLUS 240V
X	X	X

HP SYSTEMS - REPLACEMENT COMPONENTS

Air OUT Main Hoses Sub Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-HP60-AOLA	HP 60 Air OUT Lead Assembly (ONLY) Replacement - QC fitting & factory set PRV - no hose section included.	S	\$ 216	EA



Part Listed Above is Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-PLUS-AOLA	HP-PLUS /HP-PLUS-240V Air Out Lead Assembly (ONLY) -QC fitting - no hose section included	S	\$ 33	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
SC-PRV-AO	Replacement Pressure Relief Valve - AIR OUT (factory set brass fitting includes PVC 1.25" MPT x close)	S	\$ 114	EA



Part Listed Above is Compatible with

HP 60
X

Electrical Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100200300-HR-UL	Replacement Hour Meter GEN 2 & 3: Hour Meter for all non-certified, ETL certified and/or UL certified HP 60, PLUS and HP-PLUS-240V units.	S	\$ 59	EA

Part Listed Above is Compatible with

HP 60	HP PLUS	HP PLUS 240V
X	X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100-G2-3-PSB	Replacement Power Switch Breaker for HP-60 Gen 2 & 3 HP60 units	S	\$ 50	EA



Part Listed Above is Compatible with

HP 60
X

HP SYSTEMS - REPLACEMENT COMPONENTS

Electrical Components

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-200300-G3-PS-UL	Replacement Power Switch for PLUS & HP-PLUS-240V Gen 3 units (serial plates with Silver or Gold Foil)	S	\$ 24	EA



Part Listed Above is
Compatible with

HP PLUS	HP PLUS 240V
X	X

Interceptor HEPA Filter Replacement Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-INT-FR1	Replacement Interceptor HEPA Filter single HEPA filter with single pre-filter	S	\$ 198	EA



Part Listed Above is
Compatible with

Interceptor HEPA
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-INT-PF10	Replacement Interceptor Pre-Filter 10 pack of pre-filters	S	\$ 148	EA



Part Listed Above is
Compatible with

Interceptor HEPA
X

Power Supply Cords

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-MC12-3-D	Replacement Hardwire Power Supply Cord for GEN 1 & GEN 2 HP60 units: 12/3 - 25' (connection through the back of roto-mold)	LS-DISC	\$ 64	EA



Part Listed Above is
Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-MC14-3	Replacement Disconnecting Power Supply Cord for GEN 3 non ETL & ETL Certified HP Units (gold ETL foil on serial plate): 14g /3 wire Molded L5-15R Plug - connects to the faceplate receptacle 25'	S	\$ 112	EA





Part Listed Above is
Compatible with

HP 60	HP PLUS
X	X

HP SYSTEMS - REPLACEMENT COMPONENTS

Power Supply Cords

PART #	DESCRIPTION	STATUS	MSRP	QTY				
RP-MC14-3-HW-AC	Replacement Hard Wire Power Supply Cord for GEN 3 UL Certified units (silver foil on serial plate): 14/3 SJTW NA 105C YELLOW 20FT NEMA 5-15P BLACK PLUG – hardwired directly to face plate	S	\$ 78	EA				
		<table border="1"> <tr> <td>Part Listed Above is Compatible with</td> <td>HP 60 X</td> <td>HP PLUS X</td> <td></td> </tr> </table>			Part Listed Above is Compatible with	HP 60 X	HP PLUS X	
Part Listed Above is Compatible with	HP 60 X	HP PLUS X						

PART #	DESCRIPTION	STATUS	MSRP	QTY				
RMA-100200-G3-HWC-AC	Replacement Hard Wire Power Supply Cord for GEN 3 UL Certified units Conversion Kit (silver foil on serial plate): Same as part above but with kit to convert receptacle to hardwire.	S	\$ 201	EA				
		<table border="1"> <tr> <td>Part Listed Above is Compatible with</td> <td>HP 60 X</td> <td>HP PLUS X</td> <td></td> </tr> </table>			Part Listed Above is Compatible with	HP 60 X	HP PLUS X	
Part Listed Above is Compatible with	HP 60 X	HP PLUS X						

PART #	DESCRIPTION	STATUS	MSRP	QTY		
RP-PLUS240V-G3-HW	GEN 3 Roto-mold: HP-PLUS-240V Attached Power Cord 10' 8/3 SOOW 50A Male Twist Lock for UL Certified units (Silver foil on serial plate)	S	\$ 186	EA		
<table border="1"> <tr> <td>Part Listed Above is Compatible with</td> <td>HP PLUS 240V X</td> </tr> </table>		Part Listed Above is Compatible with	HP PLUS 240V X			
Part Listed Above is Compatible with	HP PLUS 240V X					

PART #	DESCRIPTION	STATUS	MSRP	QTY		
RP-PLUS240V-HWC	GEN 3 Roto-mold: HP-PLUS-240V Attached Power Cord Conversion Kit 10' 8/3 SOOW 50A Male Twist Lock for UL Certified units (Silver foil on serial plate)	S	\$ 200	EA		
<table border="1"> <tr> <td>Part Listed Above is Compatible with</td> <td>HP PLUS 240V X</td> </tr> </table>		Part Listed Above is Compatible with	HP PLUS 240V X			
Part Listed Above is Compatible with	HP PLUS 240V X					

This area left blank intentionally.

HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Products - Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

AH3 **Active Hoseline 6 ft hose.** Each hose has 10 - 3/8" tubing ports. Each hose comes with 10 - 20" pieces of tubing with Wall Injector installed



S	\$ 85	EA
---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

EC-125 **1.25" Push to Connect End Cap** for use with HP & Direct-It products sold in pack of 20



S	\$ 33	EA
---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HB300 **2" Barb x 2" FPT - Extraction Hose Barb** mates with the Main W to allow drying lines to connect to truck mount or portable extactor hose



S	\$ 29	EA
---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HC-125 **1.25" Push to Connect Hose Connector** for use with HP products sold in pack of 10



S	\$ 44	EA
---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HC2 **2" Hose cuff** sold each



S	\$ 19	EA
---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HC3 **HP Systems Hose cuff 1.5"** works with PL03 hose sold in pack of 10



S	\$ 36	EA
---	-------	----

PART #	DESCRIPTION	STATUS	MSRP	QTY
--------	-------------	--------	------	-----

HP-TUB **3/8" ID x 1/2" OD x 200'** Safety Yellow sold per roll



S	\$ 171	EA
---	--------	----

HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Products - Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
IM-125	1.25" Push to Connect Inline Manifold for use with HP products sold in pack of 5	S	\$ 62	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
MW	2" MPT x (3) 1.25" Main W for use with HP products sold each	S	\$ 41	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
NIP1505	1.5" x 5" threaded pipe for HP 60, HP PLUS and HP PLUS 240V. Installs on both the Air IN and OUT ports of system - 2 units per system. * Does not work with the Gen 1 clam shell style unit	S	\$ 25	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
PL03	HP systems blank hoseline 1.5" x 50' sold each	S	\$ 198	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SM-NIP-CAP	3/8" ID Soft (Red) Nipple Caps for use with HP products sold in bag of 100	S	\$ 47	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
ST-125	1.25" Push to Connect Small T for use with HP products sold in pack of 3	S	\$ 41	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SY-125	1.25" Push to Connect Small Y for use with HP & Direct It products sold in pack of 3	S	\$ 35	EA



HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Products - Small Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
TUB-CON	3/8" X 3/8" Push to Connect Tubing Connector for use with HP products sold in bag of 100	S	\$ 71	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
VAC-T	1.25" Push to Connect Vac-T for use with HP products sold each	S	\$ 34	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WI-BLK	Wall Injectors for the HP systems 3/16" OD black in color sold in bag of 100	S	\$ 79	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WI-BLU	Wall Injectors for the HP systems 1/4" OD blue in color sold in bag of 100	LS-DISC	\$ 86	EA



HP Systems Main Hose - Quick Connect Fittings

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTFC-60	HP 60 Main Quick Connect fitting installed on the Air IN side of unit	S	\$ 60	EA



Part Listed Above is Compatible with

HP 60
X

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTMA-60	HP 60 Main Quick Connect fitting installed on the Air OUT side of unit	S	\$ 44	EA



Part Listed Above is Compatible with

HP 60
X

HP SYSTEMS - REPLACEMENT COMPONENTS

HP Systems Main Hose - Quick Connect Fittings

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTFC-PU	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting installed on the <u>Air OUT</u> side of unit	S	\$ 59	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

PART #	DESCRIPTION	STATUS	MSRP	QTY
PTMA-PU	HP-PLUS / HP-PLUS-240V Main Quick Connect fitting installed on the <u>Air IN</u> side of unit	S	\$ 45	EA



Part Listed Above is Compatible with

HP PLUS	HP PLUS 240V
X	X

Velcro Power Cord Replacement Strap

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-100200300-RVS-UL	Replacement Velcro Strap for Gen 3 Roto-molds (for the power cord)	S	\$ 37	EA

IR PANELS

IR Panels

PART #	DESCRIPTION	STATUS	MSRP	QTY
IRP-400-B	IRP-400 ~ Infrared Panel for Floor and Wall Drying ~ 16" X 46" X 1", 120 Volts, 400 Watts, IR Panel set of 2 with 8 feet and carry bag	LS-DISC	\$ 1,609	EA



QTY	PART #	PG	DESCRIPTION
02			IR Panel
08	RP-IRP-Feet	26	Feet
01	CB7	32	IR Panel Carry Bag

This area left blank intentionally.

IR PANELS

IR Panels Replacement Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
RP-IRP-Feet	IR Replacement Feet - pack of 4	LS-DISC	\$ 64	EA



ADAPTER PRODUCTS

Adaptidry Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-5	Adaptidry - 5 Port Dry up to 18 linear feet (as packaged) works with 12", 14", 16" & 18" duct ringed equipment such as air scrubbers and high pressure axial fans. A separate ring comes with the ADP-5 to adapt to new Phoenix Guardian.	LS-DISC	Call for availability and pricing	



QTY	PART #	PG	DESCRIPTION
01	ADP-5-AO	30	ADP-5 Housing
01	ADPRING	30	Ring mates to new Phoenix Guardian
01	WV1	31	1' Wall Vent
05	WV2	31	2' Wall Vent
16	DC-TK4	30	4" Turnkey Clamps
22			2" Drywall Screws
04	M4	33	4" x 25' sections of Mylar Ducting
02	Y4		4" Tee
01	CB1	32	General Purpose Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-9	Adaptidry - 9 Port Dry up to 27 linear feet (as packaged) works with 12", 14", 16" & 18" duct ringed equipment such as air scrubbers and high pressure axial fans. A separate ring comes with the ADP-9 to adapt to new Phoenix Guardian.	LS-DISC	Call for availability and pricing	



REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
ADP-9-BX1	01	01	ADP-9-AO	30	ADP-9 Housing
	01	01	ADPRING	30	Ring mates to new Phoenix Guardian
	01	21	DC-TK4	30	4" Turnkey Clamps
	01	22			2" Drywall Screws
ADP-9-BX2	02	01	WV1	31	1' Wall Vent
	02	09	WV2	31	2' Wall Vent
	02	01	WV4	31	4' Wall Vent
	02	06	M4	33	4" x 25' sections of Mylar Ducting
	02	02	Y4		4" Tee
	02	01	CB3	32	Panel and Wall Vent Carry Bag

ADAPTERS

Direct-It Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1	Universal Air mover Adapter - Direct-It IN Dry up to 22 linear feet (as packaged) works with most standard Air movers, (17) 1.25" ports direct air to 5/8" Wall Penetrators to help dry wall, ceiling cavities as well as underneath cabinetry.	S	\$ 720	EA



QTY	PART #	PG	DESCRIPTION
01	UAA1-AO	31	Direct-It IN Housing
17	WP2	31	5/8" Wall Penetrators
17	HC1	30	1.25" Hose cuff
10	EC-125	22	1.25" Push to connect End Cap Plugs
03	PL05	30	1.25" x 50' Direct-It Hose
01	CB1	32	General Purpose Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA2	Universal Air mover Adapter - Direct-It - Dry up to 22 linear feet (as packaged) works with high pressure axial fans and air scrubbers, (17) 1.25" ports direct air to 5/8" Wall Penetrators to help dry wall, ceiling cavities as well as underneath cabinetry.	LS-DISC	\$ 648	EA



QTY	PART #	PG	DESCRIPTION
01	UAA2-AO	31	Direct-It Housing
17	WP2	31	5/8" Wall Penetrators
17	HC1	30	1.25" Hose cuff
10	EC-125	22	1.25" Push to connect End Cap Plugs
03	PL05	30	1.25" x 50' Direct-It Hose
01	CB1	32	General Purpose Carry Bag

This area left blank intentionally.

ADAPTERS

Specialty Adapter Products

PART #	DESCRIPTION	STATUS	MSRP	QTY
SA-5-2	SPECIALTY ADAPTER 5 PORT Dry up to 16 linear feet (as packaged) works with centrifugal air mover to dry walls, (5) 4" ports direct air to finished wood flooring and gymnasium flooring systems.	LS-DISC		Call for availability and pricing



REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
SA-5-2-STD-BX1	01	01	SA-5-AO	30	SA-5 Housing
SA-5-2-BX2	01	05	WV2	31	2' Wall Vent
	01	10	DC-TK4	30	4" Turnkey Clamps
	01	10			2" Drywall Screws
	01	05	M4	33	4" x 25' sections of Mylar Ducting
	01	01	CB1	32	General Purpose Carry Bag

PART #	DESCRIPTION	STATUS	MSRP	QTY
SA-5-4	SPECIALTY ADAPTER 5 PORT Dry up to 31 linear feet (as packaged) works with centrifugal air mover to dry walls, (5) 4" ports direct air to finished wood flooring and gymnasium flooring systems.	LS-DISC		Call for availability and pricing



REPLACEMENT BX No.	BX No.	QTY	PART No.	PG	DESCRIPTION
SA-5-2-STD-BX1	01	01	SA-5-AO	30	SA-5 Housing
SA-5-4-BX2	01	05	WV4	31	2' Wall Vent
	01	10	DC-TK4	30	4" Turnkey Clamps
	01	10			2" Drywall Screws
	01	05	M4	33	4" x 25' sections of Mylar Ducting
	01	01	CB1	32	General Purpose Carry Bag

This area left blank intentionally.

ADAPTERS

Adapter Products - Replacement Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-5-AO	5 PORT ADAPTIDRY <u>Adapter Only</u>	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
ADP-9-AO	9 PORT ADAPTIDRY <u>Adapter Only</u>	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
ADPRING	Collar allows Direct-It, ADP5 or ADP9 to attach to NEW style Phoenix Guardian	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
DC-TK4	Turn Key Clamps sold in bag of 20	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
HC1	Direct It Product Hose cuffs 1.25" works with PL05 hose sold in pack of 10	S	\$ 34	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
PL05	Direct-It Hoseline 1.25" x 50' roll case of 3	S	\$ 165	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
SA-5-AO	SPECIALTY ADAPTER 5 PORT <u>Adapter Only</u>	LS-DISC		Call for availability and pricing



ADAPTERS

Adapter Products - Replacement Parts

PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA1-AO	Direct-It IN <u>Adapter Only</u>	S	\$ 347	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
UAA2-AO	Direct-It <u>Adapter Only</u>	LS-DISC	Call for availability and pricing	



PART #	DESCRIPTION	STATUS	MSRP	QTY
WP2	5/8" OD Wall Penetrators black sold in bag of 17	S	\$ 58	EA



PART #	DESCRIPTION	STATUS	MSRP	QTY
WV1	1' Wall Vent for Adaptidry & Specialty Adapter products sold each	LS-DISC	Call for availability and pricing	



PART #	DESCRIPTION	STATUS	MSRP	QTY
WV2	2' Wall Vent for Adaptidry & Specialty Adapter products sold each	LS-DISC	Call for availability and pricing	




PART #	DESCRIPTION	STATUS	MSRP	QTY
WV4	4' Wall Vent for Adaptidry & Specialty Adapter products sold each	LS-DISC	Call for availability and pricing	



PART #	DESCRIPTION	STATUS	MSRP	QTY
Y4	4" Y for Adaptidry & Specialty Adapter products sold each	LS-DISC	Call for availability and pricing	



CARRY BAGS

PART #	DESCRIPTION	STATUS	MSRP	QTY
CB1	General Purpose Carry Bag 42" x 36"	S	\$ 53	EA
				
CB2	Rolling Duffel Bag 38" x 16" x 16"	S	\$ 188	EA
				
CB3	Panel and Wall Vent Carry Bag 51" x 32"	S	\$ 82	EA
				
CB4	Drawstring Small Parts Bag 31" x 17"	LS-DISC	\$ 23	EA
				
CB5	Admin Pouch 2.5" x 6" x 0.67"	LS-DISC	\$ 25	EA
				
CB6	Small Parts Pouch 6" x 10" x 2"	LS-DISC	\$ 34	EA
				
CB-7	IR Panel Bag - holds two IR panels or 9 SP-SP panels	LS-DISC	\$ 87	EA
				

DUCTING				
PART #	DESCRIPTION	STATUS	MSRP	QTY
M4	Mylar - 4" x 25' Rated to 160 degrees case of 4 = 100 FT	LS-DISC	Call for availability and pricing	
FLEX6	Mylar - 6" x 25' Rated to 160 degrees case of 8 = 200 FT	LS-DISC	Call for availability and pricing	
FLEX8	Mylar - 8" x 25' Rated to 160 degrees case of 8 = 200 FT	LS-DISC	Call for availability and pricing	
FLEX10	Mylar - 10" x 25' Rated to 160 degrees case of 4 = 100 FT	LS-DISC	Call for availability and pricing	
FLEX12	Mylar - 12" x 25' Rated to 160 degrees case of 4 = 100 FT	LS-DISC	Call for availability and pricing	
FLEX14	Mylar - 14" x 25' Rated to 160 degrees case of 4 = 100 FT	LS-DISC	Call for availability and pricing	
FLEX16	Mylar - 16" x 25' Rated to 160 degrees case of 4 = 100 FT	LS-DISC	Call for availability and pricing	

DUCTING

PART #	DESCRIPTION	STATUS	MSRP	QTY
FLEX18	Mylar - 18" x 25' Rated to 160 degrees case of 4 = 100 FT	LS-DISC	Call for availability and pricing	

PART #	DESCRIPTION	STATUS	MSRP	QTY
FLEX22	Mylar - 22" x 25' Rated to 160 degrees case of 4 = 100 FT	LS-DISC	Call for availability and pricing	

This area left blank intentionally.

GANN - COMPACT METERS

Compact Meters

PART #	DESCRIPTION	STATUS	MSRP	QTY
G2020	Hydromette - Compact A Use to measure finished hardwood flooring materials. Digital readout, separate settings for different species of wood, no separate electrodes or cables required. Measures materials up to 1.57" thick. Readings are in % of moisture content.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G2030	Hydromette - Compact B Use to measure wall, ceiling and floor materials such as drywall, lumber & plaster. Digital readout, no separate electrodes or cables required. Measures materials up to 1.57" thick. Readings are on scale of 0-100.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G12032	Hydromette - Blue Compact B2 Use to measure wall, ceiling & floor materials. 3-line LCD digital readout, no separate electrodes or cables required. Measures materials up to 1.57" thick. "Max" & "hold" functions, audible alarm function, & temperature features. Readings are on scale of 0-200.	LS-DISC		Call for availability and pricing



This area left blank intentionally.

GANN PRODUCTS

Advanced Meters

PART #	DESCRIPTION	STATUS	MSRP	QTY
G1550	UNI - 2 Base Only The UNI 2 is an electronic & universal triple measuring instrument. A large range of GANN (active) electrodes can be connected with this device. Structural moisture, air humidity & temperature can be measured. See the UNI2 accessories section for all options. Readings are on scale of 0-200 and or in % of moisture content depending on accessory used.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G1670	RTU-600 Base Only Electronic four functions in one meter for measuring wood moisture, structural moisture, air humidity & temperature with digital LCD readout, adjustable temp compensation for wood temp between 14- 176°F. Precise correction ability for all wood species. Connects to B 50, B 60, MB 35, RH-T37 & all accessories. B 50 & 60 read accurately down 4.75". Readings are on scale of 0-200 and or in % of moisture content depending on accessory used.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G1400	M 4050 Base Only Measures moisture content of building materials like the RTU 600, but also stores data, interfaces with a PC, memorized calibration curves for 250 species of wood. Approved by the FMPA testing institute for use in licensed bonded-wood industry. Same automatic temperature compensation. Connects to all accessories. Readings are on scale of 0-200 and or in % of moisture content depending on accessory used.	LS-DISC		Call for availability and pricing




This area left blank intentionally.


GANN - ADVANCED METER ACCESSORIES

Advanced Meters Accessories


PART #	DESCRIPTION	STATUS	MSRP	QTY
G3155	Active Electrode RF-T 28 High speed testing of air temperature and humidity, complete with connecting cable for the RTU 600 & M 4050. Measuring range of 7-98% RH & 14 - 176°F.	LS-DISC		Call for availability and pricing




PART #	DESCRIPTION	STATUS	MSRP	QTY
G3300	Drive-in Electrode M 20 for measurement of timber up to 2" thick. Body is impact resistant plastic. Included are 10 spare pins 0.6" and 0.9".	LS-DISC		Call for availability and pricing




PART #	DESCRIPTION	STATUS	MSRP	QTY
G3500	Ram-in Electrode M 18 for measurement in timber to the depth of about 7.1". Included are 10 spare pins 1.57" & 2.4". High quality stainless steel & built to last.	LS-DISC		Call for availability and pricing




PART #	DESCRIPTION	STATUS	MSRP	QTY
G3700	Pair of stick-in electrodes M 6 Includes 10 spare pins ea. of 40 mm and 60 mm (to be used with contact paste only).	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G3703	Pair of flat electrodes M 6-Bi 300mm (12") for measuring moisture in books, documents, joints between floors and walls. Suitable for use with stick-in electrodes M 6 only.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G3707	Non-insulated extra thin electrode pins for testing the moisture content in building and or intersecting tile joints. Use with M 6 and M 20. Pair of 250mm (9.84").	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G3740	Pair of brush electrodes M 25 for measuring moisture in concrete without the need of contact paste. This is a great and quick answer to how much moisture is in concrete. For use with MK-8 cables	LS-DISC		Call for availability and pricing

GANN PRODUCTS

Advanced Meters Accessories

PART #	DESCRIPTION	STATUS	MSRP	QTY
G3750	B 50 Active Electrode Active electrode designed for non-destructive detection of moisture concentration in building materials & moisture distribution in walls, ceilings & floors. Uses a high frequency field with a penetrating depth up to 4.75" accurately. For use with the RTU-600 & M4050.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G3760	B 60 Active Electrode Active electrode designed for non-destructive detection of moisture concentration in building materials and moisture distribution in walls, ceilings and floors. Uses a high frequency field with a penetrating depth up to 4.75" accurately. For use with the RTU-600 & M 4050. Selector for setting an audible value between 20 & 140 with acoustic signal generator.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G3770	MB 35 Active electrode with integrated measuring circuit, designed for surface measurement on concrete. Measuring range: 2-8% of dry weight. Direct display. No conversion table required	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4310	Set of cap nuts M20-DS 16 for use with thinner pins (1.6 mm) with drive in electrode M 20 consisting of 2 cap nuts & 50 pins.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4500	Package of 10 Teflon insulated pins 60mm (2.4") for use with the ram in electrode M18 accessorized with the RTU 600 & M 4050.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4550	Package of 10 Teflon insulated pins 45mm (1.77") long for use with ram in electrode M 18.	LS-DISC		Call for availability and pricing



GANN PRODUCTS

Advanced Meters Accessories

PART #	DESCRIPTION	STATUS	MSRP	QTY
G4610	Package of 100 non-insulated pins 16mm (0.6") for use with electrodes M 20.	LS-DISC		Call for availability and pricing



16 mm



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4620	Package of 100 non-insulated pins 23mm (0.9") for use with electrodes M 20.	LS-DISC		Call for availability and pricing



23 mm



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4640	Package of 100 non-insulated pins 40mm (1.6") for use with electrodes M 6 & M 18.	LS-DISC		Call for availability and pricing



40 mm



PART #	DESCRIPTION	STATUS	MSRP	QTY
G4660	Package of 100 non-insulated pins 60mm (2.4") for use with electrodes M 6, & M 18.	LS-DISC		Call for availability and pricing



60mm



PART #	DESCRIPTION	STATUS	MSRP	QTY
G5061	Carrying Case V for M-4050 & RTU-600 Carrying case for the Uni 2, RTU-600 and M 4050. Foam insert allows for secure storage and transport for many electrodes. Dimensions 18" x 15" x 4"	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G5400	Contact paste Use for testing hard building materials (flooring, concrete) in conjunction with electrodes M 6 and M 21.	LS-DISC		Call for availability and pricing



PART #	DESCRIPTION	STATUS	MSRP	QTY
G6210	Measuring Cable MK 8 standard cable for all meters and electrodes designed for resistance moisture measurement. Used with M 6, M 18, M 20 & M 25	LS-DISC		Call for availability and pricing



PROTECT-IT

PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75" Polyethylene sold in case of 10 each	S	\$ 656	1 (10)



QTY	PART #	PG	DESCRIPTION
01			Protect-It (Case)

PART #	DESCRIPTION	STATUS	MSRP	QTY
P-IT-100	Protect-It (Dehu Drip Pan) Each pan 25" x 25" x 2.75" Polyethylene sold by the pallet - 100 units	S	\$ 5,817	1 plt



QTY	PART #	PG	DESCRIPTION
01			Protect-It (Gaylord Pallet)

This area left blank intentionally. rea left blank intentionally.